

Cucumber Report

Jul 20, 2022, 4:46:21 PM

Start : Jul 20, 4:45:50.964 PM

End : Jul 20, 4:46:21.018 PM

Duration : 30.054 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 9


FAILED - 1

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	30.054 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	15	9	1	5	30.051 s

(F)- Product Master Retail Functionality





FAILED	DURATION - 30.054 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 9 Fail - 1 Skip - 5	
/ 4:45:50.964 PM // 4:46:21.018 PM /					


(S)- verify Checker user is able to Approve the record

<div>FAILED</div> <div>DURATION - 30.051 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 4:45:50.967 PM // 4:46:21.018 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.087 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	5.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
10	Then verify the field Remarks	FAILED	0.178 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bd13194fb0a5e49d5c011f07c4faf3a, sendKeysToElement {id=0fb02199-62bf-4686-a521-b71a26fcdd7d, value=[Ljava.lang.CharSequence;@21516c88]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80		

#	Step / Hook Details	Status	Duration
	<p>(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57079}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57079/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (Obd13194fb0a5e49d5c011f07c4faf3a)] -> xpath: //ion-textarea[1]/textarea[1]] Session ID: 0bd13194fb0a5e49d5c011f07c4faf3a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:145) at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:70) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.180 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And open the record	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English ▾

LOS ▾

Azentio Software ▾


Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality




The screenshot displays the Azentio software interface. The top navigation bar includes a mail icon, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a notification bell, a user profile for Puneet (01-Sep-2023), and a chat icon. The left sidebar menu lists various configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is a light blue rectangle with a dark blue circular icon in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality



The screenshot displays the Azentio software interface. The top navigation bar is identical to the previous one. The left sidebar menu lists various configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is a light gray rectangle with a dark blue circular icon in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 68 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PMR	Standard home loan - kuls	R	Active
	98303249	AHL	Standard Home Loan - KUBS	R	Active
	98303249	HL3	Home Loan - Standard	R	Active
	98303249	HFL	Housing Finance LTD	R	Active
	98303249	TTM	Corporate TTM	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is a 'Product Master' section with a back button and a red notification icon. The form contains several fields: Product Group (dropdown menu open showing options: Select, Deposits, DM Code, Lending (selected), Trade, Treasury), Product Code (text input), Product Description (text input), Retail/Corporate (dropdown menu open showing 'Select'), and Remarks (text area). The form is titled 'Product Master' and has a red asterisk indicating required fields.

English ▼LOS ▼Azentio Software ▼

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▼

Product Description *

DM Code


Remarks




Product Code *

HL


Retail/Corporate *



Select ▼











- ① Asset Collateral Config
- ① Business Rules
- ① Corporate Masters
- ① Misc Config
- ① Other Masters
- ① Product Definitions
- ① Product Setup



 Asset Auto Master







 Asset CD Master

 Product master

-  Sub Product Master



- ① Regulatory Product Defini...
- ① Project Setup
- ① Config Manager

English ▼LOS ▼Azentio Software ▼

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending

▼

Product Description *

OK

Select

DM Code

Remarks

Product Code *

HL

Retail/Corporate *

Select

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Description *

OK

DM Code

Remarks

Product Code *

HL

Retail/Corporate *

Retail

Select

Corporate

Retail

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

OK

DM Code

Remarks

Product Code *

HL

Retail/Corporate *

Retail ▾

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

OK

DM Code

Remarks

Product Code *

HL

Retail/Corporate *

Retail ▾