
Start: Feb 08, 2:45:53.576 PM End: Feb 08, 2:46:36.085 PM **Duration: 42.509 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 11 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % /70 20 20 20 80 80 80 90 90 10 63 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of fee master	1	0	1	0	42.509 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of fee master	To verify the list view validation of fee master	11	7	1	3	42.496 s

DETAILED SECTION -- 4 --

(F)- To verify the functionality of fee master

FAILED	DURATION - 42.509 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 2:45:53.576 F	PM // 2:46:36.085 PM /	Pass - 0	1	Pass - 7	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- To verify the list view validation of fee master



#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	25.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
	ASSETTE THE REPORT OF THE PARTY		
2	And Click the configuration	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
	ASSETTED THAT IS IN THE TOTAL THE T		


Then Click the config Manager PASSED AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_STEP_STEP_STEP_STEP_STEP_STEP_STEP	#	Step / Hook Details	Status	Duration
screenshot And Click the eyeicon of the fee master AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose the data set id in fee master AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	3	Then Click the config Manager	PASSED	0.311 s
And Click the eyeicon of the fee master AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Scenario. AFTER_STEP - stepdefinitions. Hooks Class. add Scenario. AFTER_STEP - step			PASSED	0.340 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the data set id in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.493 s PASSED O.237 s PASSED O.291 s		The state of the		
screenshot Then Choose the data set id in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s PASSED 0.291 s	4	And Click the eyeicon of the fee master	PASSED	0.267 s
5 Then Choose the data set id in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.400 s PASSED 0.493 s 0.493 s 0.493 s 0.493 s 0.291 s 0.291 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.741 s
5 Then Choose the data set id in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot DASSED O.237 s PASSED O.291 s		screenshot		
5 Then Choose the data set id in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot DASSED O.400 s PASSED 0.493 s 0.293 s 0.237 s PASSED 0.237 s PASSED 0.291 s		AZENTO ************************************		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.493 s 0.237 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.237 s 0.291 s				
Screenshot 6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.237 s PASSED 0.291 s	5			
6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED 0.237 s 0.291 s			PASSED	0.493 s
6 Then verify the fields under list view in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1		screenshot	_	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	6	Then verify the fields under list view in fee master	PASSED	0.237 s
screenshot ***THIT OF THE PROPERTY OF THE PRO		·		
			7	
		** ASSETTED*** *** ASSETTED*** *** ASSETTED** *** ASSETTED*		
7 And Verify the values in the fee master list view is non editable PASSED 0.108 s	7	And Verify the values in the fee master list view is non editable	PASSED	0.108 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.423 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.423 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
8	Then Verify the functionality of search box with matching data in fee master list view	FAILED	0.922 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath";"selector":"//p-table[]//div/[]//div/[3]/span[]//input[]]" (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK973U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [7213ca5c64236b9ae542f60b3ac6c7cb, findElement (using=xpath, value=//p-table[1]/div/[1/div/[1/div/[3]/span[]//input[]]]) Capabilities (acceptinsecure/Certs: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: (chromedriverVersion: 108.0.5359.71 (1e0-83686ee06, userDatabir: C:\Users\ININDC-1\AppData\L), goog:chromeOptions: (debugger/address: localhost-58692), javascriptEnabled: frue, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy. Proxy(), ser.cdp: ws://localhost-58692/devtoo, ser.cdp/version: 108.0.5359.126, setWindowRect: true, strictFieInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledprompBehavior: dismiss and notify, webauthm:extension:credBiob: true, webauthn:virtualAuthenticators: true) Session ID: 7213ca5c64236b9ae542f60b3ac6c7cb at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java.67) at java.base/jdk.internal.reflect.DirectConstructor.newInstance(Constructor.java-184) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.evace.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.evace.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.evace.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	*** CAPTIO*** ********* ******** ******* *****		
9	And Verify the functionality of search box with not matching data in fee master list view	SKIPPED	0.000 s
10	Then Verify the functionality of Export to PDF button in fee master list view	SKIPPED	0.000 s
11	And Verify the functionality of Export to Excel file in fee master list view	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

