

Cucumber Report

Dec 1, 2022, 3:12:33 PM

Start : Dec 01, 3:10:38.970 PM

End : Dec 01, 3:12:31.962 PM

Duration : 1 m 52.992 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 39







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionalities of beneficiary details</u>	1	0	1	0	1 m 52.992 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionalities of beneficiary details</u>	<u>To verify maker user can able to update the beneficiary record before save</u>	40	0	1	39	1 m 52.987 s

(F)- To verify the functionalities of beneficiary details

FAILED	DURATION - 1 m 52.992 s	Scenarios		Steps	
/ 3:10:38.970 PM // 3:12:31.962 PM /		Total - 1	1	Total - 40	40
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 39	


(S)- To verify maker user can able to update the beneficiary record before save

<div>FAILED</div> <div>DURATION - 1 m 52.987 s</div>			Steps		
/ 3:10:38.975 PM // 3:12:31.962 PM /			Total - 40		
To verify the functionalities of beneficiary details			Pass - 0		
@AT-BD-003			Fail - 1		
			Skip - 39		

#	Step / Hook Details	Status	Duration
1	<p>Given Launch the kuls application and Navigate to Application details view list</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[text()='LOS']/following-sibling::ion-radio' (tried for 60 second(s) with 5000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:71)</p> <p>at stepdefinitions.ApplicationDetail_disbursementMaker.</p> <p>launch_the_kuls_application_and_navigate_to_application_details_view_list(ApplicationDetail_disbursementMaker.java:44)</p> <p>at ?.Launch the kuls application and Navigate to Application details view list(file:///C:/Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/BeneficiaryDetails.feature:65)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[text()='LOS']/following-sibling::ion-radio"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b546a8c601ce9619f183535996e3b8e9, findElement {using=xpath, value=//ion-label[text()='LOS']/following-sibling::ion-radio}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:60367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60367/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect:</p>	FAILED	1 m 48.350 s

#	Step / Hook Details	Status	Duration
	<p>true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b546a8c601ce9619f183535996e3b8e9</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:71) at stepdefinitions.ApplicationDetail_disbursementMaker. launch_the_kuls_application_and_navigate_to_application_details_view_list(ApplicationDetail_disbursementMaker.java:44) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	Then choose the data set id to update the beneficiary detail record before save	SKIPPED	0.001 s
3	And Navigate to Mail box of Application details and search the DISBMKR value	SKIPPED	0.000 s
4	And search the disbursement maker record	SKIPPED	0.000 s
5	And select the first record of disbursment maker stage	SKIPPED	0.000 s
6	And go to beneficiary details tab	SKIPPED	0.000 s
7	And click on add button on beneficiary details screen	SKIPPED	0.001 s
8	Then To verify the field Application Id in beneficiary details	SKIPPED	0.000 s
9	And To verify the field Beneficiary Name in beneficiary details	SKIPPED	0.000 s
10	Then To verify the field Beneficiary Type in beneficiary details	SKIPPED	0.000 s
11	And To verify the field Beneficiary KYC in beneficiary details	SKIPPED	0.000 s
12	Then To verify the field Beneficiary address in beneficiary details	SKIPPED	0.000 s
13	And To verify the field Account Type in beneficiary details	SKIPPED	0.000 s
14	Then To verify the field IBAN Account Number in beneficiary details	SKIPPED	0.000 s
15	And To verify the field MICR Type in beneficiary details	SKIPPED	0.000 s
16	Then To verify the field Beneficiary MICR code in beneficiary details	SKIPPED	0.000 s
17	And To verify the field Bank code in beneficiary details	SKIPPED	0.000 s
18	Then To verify the field Branch Name in beneficiary details	SKIPPED	0.000 s
19	And To verify the field IFSC code in beneficiary details	SKIPPED	0.000 s
20	Then To verify the field Payment Type in beneficiary details	SKIPPED	0.000 s
21	And To verify the field Payment Mode in beneficiary details	SKIPPED	0.000 s
22	Then To verify the field Beneficiary email in beneficiary details	SKIPPED	0.000 s
23	And To verify the field remark in beneficiary details	SKIPPED	0.001 s
24	Then verify user can able to update the facility application ID field	SKIPPED	0.001 s
25	Then verify user can able to update beneficiary name field	SKIPPED	0.000 s
26	Then verify user can able to update beneficiary type field	SKIPPED	0.000 s
27	Then verify user can able to update beneficiary KYC field	SKIPPED	0.001 s
28	Then verify user can able to update the beneficiary address field	SKIPPED	0.000 s
29	Then verify user can able to update the account type field	SKIPPED	0.000 s
30	Then verify user can able to update the IBAN account no field	SKIPPED	0.000 s
31	Then verify user can able to update the MICR Type field	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
32	Then verify user can able to update the beneficiary MICR Code field	SKIPPED	0.000 s
33	Then verify user can able to update the Bank code field	SKIPPED	0.000 s
34	Then verify user can able to update the branch name field	SKIPPED	0.001 s
35	Then verify user can able to update the IFSC Code	SKIPPED	0.000 s
36	Then verify user can able to update the payment type field	SKIPPED	0.000 s
37	Then verify user can able to update the payment mode field	SKIPPED	0.000 s
38	Then verify user can able to update the beneficiary email field	SKIPPED	0.000 s
39	Then verify user can able to update the remarks field	SKIPPED	0.001 s
40	And click on save button to save the updated beneficiary details record	SKIPPED	0.000 s


```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) To verify maker user can able to update the beneficiary record before save

(F) To verify the functionalities of beneficiary details

