

Cucumber Report

Jul 25, 2022, 11:21:20 PM

Start : Jul 25, 11:20:59.894 PM

End : Jul 25, 11:21:20.120 PM

Duration : 20.226 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 13







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	20.226 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	System should not allow user to save the records with invalid data	22	8	1	13	20.223 s


(F)- Product Master Retail Functionality




FAILED	DURATION - 20.226 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 8 Fail - 1 Skip - 13	
/ 11:20:59.894 PM // 11:21:20.120 PM /					


(S)- System should not allow user to save the records with invalid data

<div>FAILED</div> <div>DURATION - 20.223 s</div>			<div>Steps</div> <div>Total - 22</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 13</div>	
<div>/ 11:20:59.897 PM // 11:21:20.120 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
9	Then verify the field Remarks	FAILED	0.189 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [942707eef6230a595dcde3aa808b3896, sendKeysToElement {id=4f5c5894-9e5b-4603-a38a-935fe79a4bfc, value=[Ljava.lang.CharSequence;@661e279d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\resources\devtools\resources\chrome-devtools-frontend.zip}, goog:chromeOptions: {debuggerAddress: localhost:51173}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51173/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (942707eef6230a595dcde3aa808b3896)] -> xpath: //ion-textarea[1]//textarea[1]] Session ID: 942707eef6230a595dcde3aa808b3896</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:170) at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:29) * Not displayable characters are replaced by '?'. </div>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
			
10	Then click on save button	SKIPPED	0.000 s
11	Then validate the impact of any mandatory field blank	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then click on Product Master add button	SKIPPED	0.001 s
14	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
15	Then verify functionality and asterik mark of the field Product Code	SKIPPED	0.000 s
16	Then Enter Product Description	SKIPPED	0.000 s
17	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
18	Then verify functionality of the field DM Code	SKIPPED	0.000 s
19	Then verify the field Remarks with special characters value	SKIPPED	0.001 s
20	Then click on save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	Then validate the impact of special characters value in any field	SKIPPED	0.000 s
22	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis


Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(F) Product Master Retail Functionality



(F) Product Master Retail Functionality



(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English

LOS

Azentio Software

Puneet
01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

Showing 1 to 5 of 121 entries

<<

<

1

2

3

4

5

>

>>

5

(F) Product Master Retail Functionality

English
LOS
Azentio Software

Puneet
01-Sep-2023

-
-
-
- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Product Group *

Lending

Product Description *

Select

Deposits

DM Code

Lending

Trade

Treasury

Product Code *

Retail/Corporate *

Select

Remarks

The screenshot displays the Azenzio mobile application interface. At the top, the Azenzio logo is visible, consisting of a stylized orange 'A' icon followed by the text 'AZENZIO™'. Below the logo is a navigation bar with three icons: a red icon with a white 'A', a black icon with a white 'B', and a black icon with a white 'C'. The main content area is a list of menu items, each preceded by a circular icon. The items are: 'Asset Collateral Config', 'Business Rules', 'Corporate Masters', 'Misc Config', 'Other Masters', 'Product Definitions', and 'Product Setup'. The 'Product Setup' item is highlighted with a red background. Below this, there is a sub-menu with three items: 'Asset Auto Master', 'Asset CD Master', and 'Product master'. The 'Product master' item is also highlighted with a red background. Below this, there is another sub-menu with three items: 'Sub Product Master', 'Regulatory Product Defini...', and 'Project Setup'. The 'Sub Product Master' item is highlighted with a red background. At the bottom, there is a final sub-menu with three items: 'Config Manager', 'Product Setup', and 'Regulatory Product Defini...'. The 'Config Manager' item is highlighted with a red background.

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Select ▾

English ▼LOS ▼Azentio Software ▼

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▼

Product Description *

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Retail ▼

Select

Corporate

Retail ✓

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

Product Description *

DM Code

Remarks

Retail/Corporate *

Retail

Select

Corporate

Retail

- ② Regulatory Product Definition
- ② Project Setup
- ② Config Manager

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

[illegible]