Cucumber Report

| Start : Nov 16, 4:30:24.570 pm	End : Nov 16, 4:33:05.924 pm	Duration : 2 m 41.354 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 16

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 56 %

#	Feature Name	T	P	F	S	Duration
1	*Check the functionality of Living Expenses Master*	1	0	1	0	2 m 41.354 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living expense location record	16	9	1	6	2 m 41.349 s

(F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 2 m 41.354 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 4:30:24.570 pm // 4:33:05.924 pm /		Pass - 0	1	Pass - 9	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Creation of Living expense location record

FAILED	DURATION - 2 m 41.349 s		Steps	
/ 4:30:24.575 pm // 4:33:05.924 pm /			Total - 16	
Check the functionality of Living Expenses Master			Pass - 9	16
			Fail - 1	
@AT_LE_024			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	1 m 43.422 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.481 s
	screenshot		
2	Then user click on configurations Tab	PASSED	1.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.618 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
4	And user Goto the Temp view screen of living Expense	PASSED	0.686 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
5	And click on Pencil icon of existing record	PASSED	1.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.485 s
	screenshot		
6	And Navigate to Living expense location page	PASSED	0.529 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.770 s
	screenshot		
7	And Click on Add icon of Living expense parameter	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.728 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user Pass the Exceldata value for Living expense Location creation	PASSED	0.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot 		
9	And Select the value in Country field of Living expense parameter	PASSED	1.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot 		
10	And Select the value in Province field of Living expense parameter	FAILED	1.093 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-ggl-c322="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Province *">...</ion-select> is not clickable at point (1079, 293). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-3" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20003; --width:528px;">...</ion-popover> (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ae36ef506ba775d77f7bfc9e41b681d5, clickElement {id=8415aa8d-ff22-4274-bde0-d70c4ace62b3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52853}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52853/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ae36ef506ba775d77f7bfc9e41b681d5)] -> xpath: //ion-select[@aria-label='Select, Province *']] Session ID: ae36ef506ba775d77f7bfc9e41b681d5		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.KULS_LivingExpense_Step.select_the_value_in_province_field_of_living_expense_parameter(KULS_LivingExpense_Step.java:267) at ?.Select the value in Province field of Living expense parameter(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:639) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.003 s
11	And Enter the value in Area factor income of Living expense parameter	SKIPPED	0.000 s
12	And Enter the value in Area factor expenditure of Living expense parameter	SKIPPED	0.000 s
13	Then Click on Save button in Living expense parameter	SKIPPED	0.000 s
14	And user goto Inbox and than stored the Ref ID	SKIPPED	0.001 s
15	Then user Click on Action Icon	SKIPPED	0.000 s
16	And user verify submit and than submit New Record from Maker stage	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location
record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location
record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location
record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location
record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

AZENTIO
ONEBanking

16-Nov-2022

List of Living Expense Model

Action	Description	Rule ID	Effective Date	Status
✏ 👁	Expenses	98303254	2023-08-02	Active
✏ 👁	Expenses	98303254	2023-08-02	Active
✏ 👁	Expenses	98303254	2023-08-02	Active
✏ 👁	Expenses	98303254	2023-08-02	Active
✏ 👁	Expenses	98303254	2023-08-02	Active

Showing 1 to 5 of 28 entries   « ‹ 1 2 3 4 5 › » 5

Menu:
- Dashboard
- Configurations
  - Project Master
  - Notification Master
  - Report Master
  - Target Master
  - Business Division Master
  - Approval Reviewer Level Matrix
  - Income Group Defination
  - Facility Type
  - NPA Identification
  - Classification Master
  - Living Expense
- Transactions
- Reports

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

AZENTIO
ONEBanking

16-Nov-2022

Living Expense Definition | Living Expense Parameter | Living Expense Location

Living Expense Location List

Menu:
- Dashboard
- Configurations
  - Project Master
  - Notification Master
  - Report Master
  - Target Master
  - Business Division Master
  - Approval Reviewer Level Matrix
  - Income Group Defination
  - Facility Type
  - NPA Identification
  - Classification Master
  - Living Expense
- Transactions
- Reports

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master