Cucumber Report

Start : Jul 26, 12:26:40.271 PM	End : Jul 26, 12:28:10.310 PM	Duration : 1 m 30.039 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 17

Features: 1

Scenarios: 1

Steps: 31

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 41 %

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	1 m 30.039 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Reject the record	31	13	1	17	1 m 30.035 s

(F)- Product Master Retail Functionality

| FAILED	DURATION - 1 m 30.039 s	Scenarios		Steps	
		Total - 1		Total - 31	
/ 12:26:40.271 PM // 12:28:10.310 PM /		Pass - 0	1	Pass - 13	31
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- verify Checker user is able to Reject the record

| FAILED	DURATION - 1 m 30.035 s		Steps	
/ 12:26:40.275 PM // 12:28:10.310 PM /			Total - 31	
Product Master Retail Functionality			Pass - 13	31
@ProductMaster_Retail_Reject			Fail - 1	
			Skip - 17	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
5	Then click on Product Master add button	PASSED	1.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	4.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Enter Product Code for reject	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		
8	Then Enter Product Description	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
10	Then verify the field Remarks	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on save button	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
12	Then validate Success pop up	PASSED	5.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
13	Then click on inbox	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
14	Then click on search icon	FAILED	1 m 1.224 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (0ca5e977088b9a7cf8c051784a797277)] -> xpath: //div[1]/div[1]/div[1]/div[3]/span[1]/button[1]] (tried for 60 second(s) with 2000 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ProductMaster_Retail.click_on_search_icon(ProductMaster_Retail.java:553) at ?.click on search icon(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:124) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.121 s
15	Then search Project Master Retail record	SKIPPED	0.000 s
16	And open record for Approve	SKIPPED	0.000 s
17	Then submit the Record	SKIPPED	0.000 s
18	Then user logout from the application	SKIPPED	0.000 s
19	And User Login as Checker	SKIPPED	0.000 s
20	Then click on Menu	SKIPPED	0.000 s
21	Then click on inbox	SKIPPED	0.000 s
22	Then Open the record to reject it	SKIPPED	0.000 s
23	Then reject the record	SKIPPED	0.000 s
24	Then user logout from the application	SKIPPED	0.000 s
25	Given User launch the kuls application	SKIPPED	0.000 s
26	And User Login as maker	SKIPPED	0.000 s
27	Then click on Product Setup	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on search icon	SKIPPED	0.000 s
30	Then search Rejected record	SKIPPED	0.000 s
31	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾   LOS ▾   Azentio Software ▾   Puneet 01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾   LOS ▾   Azentio Software ▾   Puneet 01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

Product Master

Product Master

Field	Value
Product Group *	Lending
Product Code *	PR21
Product Description *	Loan
Retail/Corporate *	Retail
DM Code	
Remarks	HomeLoan

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

Product Master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	PR21	Loan	R	Active	
	98303249	PR21	Loan	R	Active	CHECKER
	98303249	PR20	Loan	R	Active	MAKER
	98303249	PR19	Loan	R	Active	CHECKER
	98303249	PR21	Loan	R	Active	

Showing 1 to 5 of 189 entries   « ‹ 1 2 3 4 5 › »   5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality