# Cucumber Report

| **Start : Jul 27, 2:18:40.480 AM** | **End : Jul 27, 2:18:57.537 AM** | **Duration : 17.057 s** |
|:---:|:---:|:---:|
| Features | Scenarios | Steps |

| PASSED - 1 | PASSED - 1 | PASSED - 5 |
|:---:|:---:|:---:|
| FAILED - 0 | FAILED - 0 | FAILED - 0 |
| SKIPPED - 0 | SKIPPED - 0 | SKIPPED - 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | *Project Master Retail Functionality* | 1 | 1 | 0 | 0 | 17.057 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Project Master Retail Functionality | Project Master bulding Fields validation | 5 | 5 | 0 | 0 | 17.054 s |

## (F)- Project Master Retail Functionality

| PASSED | DURATION - 17.057 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 2:18:40.480 AM // 2:18:57.537 AM / | | Total - 1<br>Pass - 1<br>Fail - 0<br>Skip - 0 | 1 | Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 | 5 |

## (S)- Project Master bulding Fields validation

| PASSED | DURATION - 17.054 s | | Steps | |
|---|---|---|---|---|
| / 2:18:40.483 AM // 2:18:57.537 AM / | | | Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 | 5 |
| Project Master Retail Functionality | | | | |
| @ProjectMaster | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 10.549 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.234 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 0.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.113 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then click on Project Setup | PASSED | 0.123 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.290 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on Project Master eye icon | PASSED | 0.197 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on Project Master add button | PASSED | 1.148 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.667 s |
| | screenshot | | |
| |  | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality