


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker Functionality	1	0	1	0	1 m 16.510 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker	To check the functionality of Personal Details Disbursement	28	10	0	18	1 m 16.506 s
	Functionality	Maker					

DETAILED SECTION -- 4 --

(F)- Personal Details Disbursement Maker Functionality

FAILED	DURATION - 1 m 16.510 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 3:43:55.324 P	M // 3:45:11.834 PM /	Pass - 0	1	Pass - 10	28
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 18	

(S)- To check the functionality of Personal Details Disbursement Maker



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
	AZENTIO DISTRICTION DISTRICTI		
2	And User Login as maker	PASSED	6.898 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		


3 Then click on inbox AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on inbox search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) FASSED O.208 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.117 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on inbox search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s PASSED 0.138 s		C		
screenshot 4 Then click on inbox search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s PASSED 0.138 s	3	Then click on inbox	PASSED	0.216 s
4 Then click on inbox search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.117 s PASSED 0.118 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
4 Then click on inbox search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s PASSED 0.138 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s PASSED 0.138 s		© transmit : Stream : Stream : Stream : Characteristics : Charact		
screenshot Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s PASSED 0.138 s	4	Then click on inbox search icon	PASSED	0.208 s
5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s PASSED 0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s PASSED 0.117 s 1.153 s PASSED 0.101 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.153 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.101 s		## AMATON ## 10		
Screenshot 6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s	5	Then search Personal Details Disbursement Maker record	PASSED	0.117 s
6 And maker user open the record from inbox AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		No.		
	6	And maker user open the record from inbox	PASSED	1.153 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
		screenshot		


#	Step / Hook Details	Status	Duration
	## CONTROL OF THE PROPERTY OF		
7	Then click on Customer Details Segment button	PASSED	1.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
	# Market Section Secti		
8	Then open Customer Details record	PASSED	1.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	screenshot		
	## ACTION ## ## ## ACTION ## ## ## ## ## ## ## ## ## ## ## ## ##		
9	Then verify the field Customer Type	PASSED	10.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
	COMPANY OF THE PROPERTY OF THE		
10	Then verify the field Applicant Type	PASSED	32.597 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.188 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d07234386e875af4996d79ed85b8ddf0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80}		

#	Step / Hook Details	Status	Duration
javasci Proxy() {implici webau at ja at ja at ja at or at or	Be8ba0d8, userDataDir: C:\Users\ININDC-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:65309}, riptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:), se:cdp: ws://localhost:65309/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: it: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, thn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d07234386e875af4996d79ed85b8ddf0 va.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) va.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) va.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) va.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) va.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) rg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) rg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) rg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) rg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) rg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:164) rg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) rg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347)		
	epdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	SKIPPED	0.000 s
	verify the field Salutation		0.000 s
	verify the field First Name	SKIPPED	
	verify the field Middle Name	SKIPPED	0.000 s
	verify the field Last Name	SKIPPED	0.000 s
	verify the field Date Of Birth	SKIPPED	0.000 s
	verify the field Gender	SKIPPED	0.000 s
	verify the field Edcuation Level	SKIPPED	0.001 s
	verify the field Marital Status	SKIPPED	0.000 s
19 Then	verify the field Nationality	SKIPPED	0.001 s
20 Then	verify the field Ethinicity	SKIPPED	0.000 s
21 Then	verify the field Religion	SKIPPED	0.000 s
22 Then	verify the field Resident Status	SKIPPED	0.000 s
23 Then	verify the field Language	SKIPPED	0.000 s
24 Then	verify the field No of Dependents	SKIPPED	0.000 s
25 Then	wife the field Matheus Maidan Nama	SKIPPED	0.001 s
26 Then	verify the field Mothers Maiden Name	SKIPPED	0.0013
26 Then	verify the field Type of Residence	SKIPPED	0.001 s

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
28	Then verify the toggle BlackListed	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.239 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d07234386e875af4996d79ed85b8ddf0, close {}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L\}, goog:chromeOptions: {debuggerAddress: localhost:65309}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65309/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: d07234386e875af4996d79ed85b8ddf0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	0.239 s
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		






EXPANDED SECTION

-- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

