


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the functionality of product master | 1 | 1 | 0 | 0 | 32.033 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|--|----|----|---|---|----------|
| 1 | Check the functionality of product | Product Master - Modify records (approve, reject and return) | 21 | 21 | 0 | 0 | 32.028 s |
| | <u>master</u> | at checker stage | | | | | |

DETAILED SECTION

(F)- Check the functionality of product master

| PASSED | DURATION - 32.033 s | Scenarios | | Steps | |
|-------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 21 | |
| / 11:13:33.798 Pi | M // 11:14:05.831 PM / | Pass - 1 | 1 | Pass - 21 | 21 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Product Master - Modify records (approve, reject and return) at checker stage



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 6.131 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.407 s |
| | screenshot | | |
| | AZENTIO End to Fird Sanking Suite Linky and was damen unless damen unless the same of the same unless of t | | |
| 2 | And User Login as checker | PASSED | 5.222 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AZENTIO SONO PROPRIO DE LA CONTRACTOR DE | | |
| 3 | Then click on menu button | PASSED | 0.402 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.530 s |
| | screenshot | | |
| | | | |
| 4 | Then click on inbox button | PASSED | 0.253 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The step of the ste | PASSED | 0.446 s |
| 5 | Then select the modified record to approve | PASSED | 1.080 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.193 s |
| 6 | Then select approve button | PASSED | 1.173 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.565 s |
| | screenshot | | |


| 0.268 s |
|---------|
| 0.218 s |
| |
| |
| 0.089 s |
| 0.349 s |
| |
| 1.280 s |
| 0.158 s |
| |
| |
| 0.099 s |
| 0.183 s |
| |
| |

| Then select the modified record to reject AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then select reject button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then select reject button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 12 Then select reject button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.329 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.329 s 0.329 s 13 Then enter remark for reject AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s PASSED 0.198 s 0.198 s 0.193 s | | Mark | | |
| screenshot 12 Then select reject button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then enter remark for reject AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.339 s 0.297 s 0.297 s 0.298 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s | 11 | · | PASSED | 1.079 s |
| 12 Then select reject button PASSED 0.339 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then enter remark for reject PASSED 0.198 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s PASSED 0.198 s PASSED 0.198 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.329 s |
| 12 Then select reject button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then enter remark for reject AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.339 s 0.297 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then enter remark for reject AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.297 s 0.198 s 0.198 s | | No. Series Seri | | |
| Screenshot Then enter remark for reject AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s 0.193 s | 12 | Then select reject button | PASSED | 0.339 s |
| 13 Then enter remark for reject AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.198 s 0.193 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.297 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s | | Trobate Manage Trobate Manage | | |
| | 13 | Then enter remark for reject | PASSED | 0.198 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| © M. C. | | screenshot | | |
| Foundament of the control of the con | | That there That there is a second of the se | | |
| 14 Then click on reject button PASSED 0.069 s | 14 | Then click on reject button | PASSED | 0.069 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.190 s |
| | | screenshot | | |

| 15 Then system should display confirmation message after reject AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.106 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 1.106 s PASSED 0.268 s | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 16 Then click on inbox button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 17 Then select the modified record to return AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 1.106 s Passed 1.106 s Passed 0.268 s | | Product Materia Trade of Mate | | |
| screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then select the modified record to return AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | 15 | | PASSED | 1.197 s |
| 16 Then click on inbox button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Then select the modified record to return AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.162 s |
| 16 Then click on inbox button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Then select the modified record to return AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Then select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.188 s 1.106 s 0.268 s | | No. | | |
| screenshot Then select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED 1.106 s PASSED 0.268 s | 16 | Then click on inbox button | PASSED | 0.083 s |
| 17 Then select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| 17 Then select the modified record to return AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The select the modified record to return passes and screenshot (io.cucumber.java.Scenario) passed 0.268 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.268 s | | No. | | |
| Screenshot © 90 - Variable E V | 17 | Then select the modified record to return | PASSED | 1.106 s |
| | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.268 s |
| No. | | screenshot | | |
| 1 * NAME OF OR | | □ 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 | | |
| 18 Then select return button PASSED 0.276 s | 18 | Then select return button | PASSED | 0.276 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.235 s |
| screenshot | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | Notice Materia Notice Materia | | |
| 19 | Then enter remark for return | PASSED | 0.154 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |
| | Palar Harry Palar Harry Discussion Disc | | |
| 20 | Then click on return button | PASSED | 0.089 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.205 s |
| | screenshot | | |
| | Policy Lawrence Control Contro | | |
| 21 | Then system should display confirmation message after return | PASSED | 1.162 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.185 s |
| | screenshot | | |
| | | | |


EXPANDED SECTION -- 10 --




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at checker stage


(F) Check the functionality of product master




■ (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. Inbox java. Scenario) Action 20 20 (S) Product Master - Modify records 2 (approve, reject and return) at checker 20 stage 2 2 20 (F) Check the functionality of product 2, master 20




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

