# Cucumber Report

| Start : Jul 25, 7:57:07.975 PM | End : Jul 25, 7:57:42.328 PM | Duration : 34.353 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 12<br>FAILED - 1<br>SKIPPED - 16 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of product master | 1 | 0 | 1 | 0 | 34.353 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the functionality of product master | Product Master - Modify records (approve, reject and return) at maker stage | 29 | 12 | 1 | 16 | 34.346 s |

## (F)- Check the functionality of product master

| FAILED | DURATION - 34.353 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | Steps<br>Total - 29<br>Pass - 12<br>Fail - 1<br>Skip - 16 |
|---|---|---|---|
| / 7:57:07.975 PM // 7:57:42.328 PM / | | | |

## (S)- Product Master - Modify records (approve, reject and return) at maker stage

| FAILED | DURATION - 34.346 s | | Steps<br>Total - 29<br>Pass - 12<br>Fail - 1<br>Skip - 16 |
|---|---|---|---|
| / 7:57:07.982 PM // 7:57:42.328 PM / | | | |
| Check the functionality of product master | | | |
| @M5 @ProductMaster | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 6.031 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.412 s |
| | screenshot | | |
| | + | | |
| 2 | And User Login as maker | PASSED | 5.270 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.283 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  |  |  |  |
| 3 | Then user should navigate to product master | PASSED | 0.226 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.540 s |
|  | screenshot<br> |  |  |
| 4 | And click on edit view of product master | PASSED | 0.237 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.358 s |
|  | screenshot<br> |  |  |
| 5 | Then click on edit button of record to modify | PASSED | 2.661 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.352 s |
|  | screenshot<br> |  |  |
| 6 | Then user should verify the buttons available on screen while modify | PASSED | 1.717 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.127 s |
|  | screenshot |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then verify system should modify the record before approved | PASSED | 1.625 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.258 s |
| | screenshot | | |
| |  | | |
| 8 | And click on eye icon of product master | PASSED | 0.178 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.372 s |
| | screenshot | | |
| |  | | |
| 9 | Then verify system should modify already approved record | PASSED | 2.636 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.181 s |
| | screenshot | | |
| |  | | |
| 10 | Then verify system allow user to save modified record with valid data | PASSED | 0.190 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.390 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | Then system should display the confirmation message | PASSED | 0.530 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.346 s |
| | screenshot<br> | | |
| 12 | Then click on inbox button | PASSED | 0.674 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.484 s |
| | screenshot<br> | | |
| 13 | And select the modified record from inbox to approve | FAILED | 0.039 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'5762')]/../../td/button"}   (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a579bd408871a570a2c1225ce525662, findElement {using=xpath, value=//span[contains(text(),'5762')]/../../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57103}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57103/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5a579bd408871a570a2c1225ce525662<br>    at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) <br> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) <br> at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) <br> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) <br> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) <br> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) <br> at stepdefinitions.ProductMaster_Retail.select_the_modified_record_from_inbox_to_approve(ProductMaster_Retail.java:166) <br> at ?.select the modified record from inbox to approve(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:17) <br> * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) <br><br> screenshot <br><br>  | PASSED | 1.949 s |
| 14 | Then click on submit button | SKIPPED | 0.001 s |
| 15 | Then system should display confirmation message after submit | SKIPPED | 0.000 s |
| 16 | And click on edit view of product master | SKIPPED | 0.000 s |
| 17 | Then click on edit button of record2 to modify | SKIPPED | 0.001 s |
| 18 | Then verify system should modify the record before approved | SKIPPED | 0.000 s |
| 19 | Then click on inbox button | SKIPPED | 0.000 s |
| 20 | And select the modified record from inbox to reject | SKIPPED | 0.000 s |
| 21 | Then click on submit button | SKIPPED | 0.000 s |
| 22 | Then system should display confirmation message after submit | SKIPPED | 0.000 s |
| 23 | And click on edit view of product master | SKIPPED | 0.000 s |
| 24 | Then click on edit button of record3 to modify | SKIPPED | 0.000 s |
| 25 | Then verify system should modify the record before approved | SKIPPED | 0.000 s |
| 26 | Then click on inbox button | SKIPPED | 0.000 s |
| 27 | And select the modified record from inbox to return | SKIPPED | 0.001 s |
| 28 | Then click on submit button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 29 | Then system should display confirmation message after submit | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

**Product Master**

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|---|---|---|---|---|---|---|
| ✏️ 👁 | 98303249 | PR11 | Loan | R | Active | CHECKER |
| ✏️ 👁 | 98303249 | PR12 | Loan | R | Active | |
| ✏️ 👁 | 98303249 | PR10 | Loan | R | Active | CHECKER |
| ✏️ 👁 | 98303275 | dop3 | dop3 | R | Active | |
| ✏️ 👁 | 98303275 | dop2 | dop2 | R | Active | |

Showing 1 to 5 of 168 entries   « ‹ 1 2 3 4 5 › »   5

---

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

**Product Master**

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master