Cucumber Report

Start : Jul 29, 8:23:14.695 PM	End : Jul 29, 8:23:29.636 PM	Duration : 14.941 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	*Project Master Retail Functionality*	1	1	0	0	14.941 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Project Master Retail Functionality	To check the functionality of list view buttons of approved records	6	6	0	0	14.938 s

(F)- Project Master Retail Functionality

PASSED	DURATION - 14.941 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 8:23:14.695 PM // 8:23:29.636 PM /		Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To check the functionality of list view buttons of approved records

PASSED	DURATION - 14.938 s		Steps	
/ 8:23:14.698 PM // 8:23:29.636 PM /			Total - 6	
Project Master Retail Functionality			Pass - 6	6
			Fail - 0	
@ProjectMaster_ListView			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Project Setup	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
4	Then click on Project Master eye icon	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
5	Then verify Project details list view fields should display all the fields	PASSED	1.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
6	Then verify Values in List view should be non editable	PASSED	0.040 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view
buttons of approved records

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view
buttons of approved records

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality