

Cucumber Report

Aug 8, 2022, 1:45:29 AM

Start : Aug 08, 1:44:48.393 AM

End : Aug 08, 1:45:28.984 AM

Duration : 40.591 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7

FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	40.591 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral-While modification, user verify proper validation message for blank field</u>	9	7	1	1	40.588 s



(F)- collateral Functionality



FAILED	DURATION - 40.591 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 7 Fail - 1 Skip - 1	
/ 1:44:48.393 AM // 1:45:28.984 AM /					


(S)- collateral-While modification, user verify proper validation message for blank field

<div>FAILED</div> <div>DURATION - 40.588 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 1:44:48.396 AM // 1:45:28.984 AM /				
collateral Functionality				
@M6				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
			
4	Then click on collateral Edit icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
5	Then open collateral wip record	PASSED	1.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
			
6	Then verify impact on modification with blank field	PASSED	20.824 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify the functionality of Back button	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
8	Then open collateral wip record	FAILED	0.413 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0ab932c0e33587a136f00f20d6ea2f97, clickElement {id=d9d9c09f-5200-4fa3-b9a2-07fe8bbc5bf6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62082}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62082/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0ab932c0e33587a136f00f20d6ea2f97)] -> xpath: //tbody/tr[1]/td[1]/span[1]/button[1]] Session ID: 0ab932c0e33587a136f00f20d6ea2f97</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Collateral.open_collateral_wip_record(Collateral.java:374) at ?.open collateral wip record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:83) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.136 s
9	Then verify impact on modification with invalid data	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO
ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO
ONEBanking

Search the menu

- Dashboard
- Configurations
 - Asset Collateral Config
 - Business Rules
 - Corporate Masters
 - Misc Config
 - Other Masters
 - Product Definitions
 - Product Setup
 - Regulatory Product Defi...
- Transactions
- Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field


(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main content area is titled 'List of Asset/Collateral categories'. It features a table with columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, Status, and Authorization Status. The table lists five entries (FD10 to FD6) with their respective descriptions and statuses. A pagination bar at the bottom indicates 'Showing 1 to 5 of 97 entries' with page numbers 1 through 5.

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
	FD10	Fixed	in00135	Active	CHECKER
	FD9	Fixed Deposit9	in00135	In-active	CHECKER
	FD8	Fixed Deposit8	in00135	Active	CHECKER
	FD7	Fixed Deposit7	in00135	Active	CHECKER
	FD6	Fixed Deposit6	in00135	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking interface for the 'Asset / Collateral categories' form. The sidebar menu is identical to the previous screenshot. The main content area is titled 'Asset / Collateral categories' and shows the 'Asset / Collateral Category Detail' form. The form includes fields for Description (marked as a required field), Asset / Collateral Category Code (pre-filled with 'FD10'), Module (set to 'LM'), Status (a toggle switch), Registration Required (a toggle switch), Reposection Allowed (a toggle switch), and Remarks (pre-filled with 'OK'). A blue button at the bottom right says 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

Action	Asset/Collateral Category Code	Asset/Collateral Category Description	Created By	Status	Authorization Status
	FD10	Fixed	in00135	Active	CHECKER

Asset / Collateral categories

Asset / Collateral Category Detail

Description *

Asset / Collateral Category Code *

FD10

Required field

Module *

LM

Registration Required

Repossession Allowed

Remarks *

OK

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

Action	Asset/Collateral Category Code	Asset/Collateral Category Description	Created By	Status	Authorization Status
--------	--------------------------------	---------------------------------------	------------	--------	----------------------

Asset / Collateral categories

Asset / Collateral Category Detail

Description *

Asset / Collateral Category Code *

Module *

Registration Required

Repossession Allowed

Remarks *

Please fill all the details