

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	1 m 20.706 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	Creation of Warehouse Master record_ Add Template	19	19	0	0	1 m 20.700 s
	Warehouse Master						

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 1 m 20.706 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 12:15:30.868 pr	m // 12:16:51.574 pm /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Warehouse Master record_ Add Template

PASSED	DURATION - 1 m 20.700 s						-			-								Steps			
/ 12:15:20 8	74 pm // 12:16:51.574 pm /	15 -		- +	-	! -		-1-	- + -	-!		- !	-!	- + -	-!	+-	- !	Total - 19			
/ 12.13.30.0	74 pm // 12.10.31.374 pm /	10 -	-															Pass - 19		19	
check the fun	ctionality of the Warehouse Master	5 -	-					▐	-					-				Fail - 0		19	
@AT WHM T001 creation		0 -						_	_	<u> </u>		Skip - 0	\ \								
	.001_0.0440			1 2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	18.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.917 s
	screenshot		
	DESCRIPTION OF THE RESIDENCE OF THE RESI		
2	Then user click on configurations Tab	PASSED	0.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
	DESCRIPTION OF THE RESIDENCE OF THE RESI		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click inst view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.663 s 13.609 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s	#	Step / Hook Details	Status	Duration
And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.615 s	3	When user click Config Manager menu	PASSED	0.453 s
And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.653 s PASSED 0.158 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefiniti		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER		F NO		
screenshot And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AF	4	And user click list view icon of Warehouse Master	PASSED	0.552 s
And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND USER Enter the value in Address field and verify it PASSED O.615 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.649 s
And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 13.609 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.615 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 And user Enter the value in Address field and verify it PASSED 0.663 s 0.663 s 0.663 s PASSED 13.609 s PASSED 0.158 s				
screenshot And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user Enter the value in Address field and verify it And user Enter the value in Address field and verify it PASSED 0.615 s	5	And user click on Add icon for Warehouse master	PASSED	0.839 s
And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter the value in Address field and verify it PASSED O.158 s And user Enter the value in Address field and verify it PASSED O.615 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.663 s
And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter the value in Address field and verify it PASSED 13.609 s 0.158 s PASSED 0.615 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter the value in Address field and verify it PASSED 0.158 s PASSED 0.158 s		S ASSETTED S TO SECURITY STATE OF THE PARTY		
Screenshot 7 And user Enter the value in Address field and verify it PASSED 0.615 s	6	And user Enter the value in description and verify it	PASSED	13.609 s
7 And user Enter the value in Address field and verify it PASSED 0.615 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
7 And user Enter the value in Address field and verify it PASSED 0.615 s		screenshot		
·		A SERVICE OF THE RESIDENCE OF THE RESIDE		
AFTED STED, standafinitions Hooks Class add Saranshat (in quaumhar inva Sanaria)	7	And user Enter the value in Address field and verify it	PASSED	0.615 s
AFTER_STEP - Stephelinitions. Hooks Class. add Screen Short (io. cucumber. java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	## 200 ##		
8	And user Enter the value in country field and verify it	PASSED	1.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		
	# 200 00 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
9	And user Enter the value in state field and verify it	PASSED	0.699 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
	## # # # # # # # # # # # # # # # # # #		
10	And user Enter the value in Location field and verify it	PASSED	0.595 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.652 s
	screenshot]	
	# 2 May 100 Ma		
11	And user Enter the value in Zip code field and verify it	PASSED	0.596 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.558 s
	screenshot		


#	Step / Hook Details	Status	Duration
	ALCOYDO OF TOWN COLUMN		
12	And user Enter the value in Phone field and verify it	PASSED	0.425 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
	# NOW TO BE A		
13	And user Enter the value in Fax field and verify it	PASSED	0.905 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.463 s
	screenshot		
	# # 200 300 300 \$ 100 \$		
14	And user Enter the value in Email field and verify it	PASSED	0.469 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot]	
	A		
15	And user Enter the value in Contact person field and verify it	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		

#	Step / Hook Details	Status	Duration
	PROFITE		
16	And user save the warehouse master Record	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.581 s
	screenshot		
	## 1 (20) (20) (20) (20) (20) (20) (20) (20)		
17	And user goto the Maker Inbox and store the Referance ID	PASSED	3.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
	### Company of the co		
18	Then user Click on Action Icon	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot]	
	The control		
19	And user verify the submit button and submit the Record from Maker stage	PASSED	8.600 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	### Company of the co		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



(S) Creation of Warehouse Master record_ Add Template

Colleteral type

Asset Auto Maste

Asset CD Maste

(F) check the functionality of the Warehouse Master

	Inbox											Q
	Action	Reference Id	Event Code	Event Desc	Workflow Desc	Employee Name	Stage Code	Role Code	Created Date	Product	Арј	rover Role
	24	607	WAREHOUSE_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	12-Oct-2022 12:16			
© ☑	24	276	DEPOSIT_ACC_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	12-Oct-2022 12:9			
© ✓	2/	275	DEPOSIT_ACC_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 18:20			
© Ø	2	274	DEPOSIT_ACC_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 18:3			
© Ø	20	273	DEPOSIT_ACC_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 17:35			
© ✓	2,	271	SCHEME_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 17:18			
© ☑	2,	272	DEPOSIT_ACC_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 15:47			
	2,	262	DEPOSIT_ACC_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 14:27			
© 🗹	2,	605	WAREHOUSE_MST	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 14:27			
© ☑	2,	5334	MST_REPORT	BPM Two Stage Workflow	Two Stage Workflow	in00135	MAKER	LOSMKR	11-Oct-2022 13:21			
© ☑	Č						Showing 1 to 10 of 11	7 entries	1 2 3	4 5	> >>	10 🗸

EXPANDED SECTION -- 19 --

