Cucumber Report

Start : Nov 29, 2:04:48.364 PM	End : Nov 29, 2:05:58.951 PM	Duration : 1 m 10.587 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 7 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Offer Details Functionality	1	1	0	0	1 m 10.587 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Offer Details Functionality	To check the functionality of Offer Details	7	7	0	0	1 m 10.583 s

(F)- Offer Details Functionality

PASSED	DURATION - 1 m 10.587 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:04:48.364 PM // 2:05:58.951 PM /					

(S)- To check the functionality of Offer Details

PASSED	DURATION - 1 m 10.583 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:04:48.368 PM // 2:05:58.951 PM /				
Offer Details Functionality				
@OD-001				

#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application	PASSED	57.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
2	And Navigate to Mail box	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Sarch the value in Mail box	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot 		
4	And Click on action icon of first record in offering details	PASSED	2.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot 		
5	Then open Facility Info Record	PASSED	1.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot 		
6	Then Validate fields and Sections are available on Offer details screen	PASSED	1.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Verify Offer Details Section displayed data should be in read only mode	PASSED	0.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.080 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Offer Details

(F) Offer Details Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Offer Details

(F) Offer Details Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Offer
Details

(F) Offer Details Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Offer
Details

(F) Offer Details Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Offer Details

(F) Offer Details Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Offer Details

(F) Offer Details Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Offer Details

(F) Offer Details Functionality