


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	34.061 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	22	6	1	15	34.056 s
	Address Details screen	details and clicking on save button					

DETAILED SECTION

## (F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 34.061 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 8:18:25.927 F	PM // 8:18:59.988 PM /	Pass - 0	1	Pass - 6	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

## (S)- verify the functionality of save button post entering all valid details and clicking on save button

FAILED DURATION - 34.056 s	10 -	;-								- - -						Steps		
/ 8:18:25.932 PM // 8:18:59.988 PM /	8 -		- + -	-			-¦								-	Total - 22		
Check the functionality of Customer Address	4 -	-						-								Pass - 6	22	
Details screen	2 -			<u>-</u>		<u>.</u>	<u>-</u>					-		-	-	Skip - 15		7
@AT_CAD_002		1	2	3	4	5	6	7	8	9 -	10 11	12	13	14	15	- Ciup - 10		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.889 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.514 s
	screenshot		
	AZENTIO  Miles and Const.		
2	And User Login as maker	PASSED	5.540 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		

The click on inbox	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  4 And user click search icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  5 Then search Customer Address Details record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.26 s  PASSED  0.142 s  PASSED  0.193 s  0.257 s  PASSED  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.138 s				
screenshot  And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  PASSED  0.138 s	3	Then click on inbox	PASSED	0.318 s
And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.257 s  PASSED 0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  AND Maker user open the record from inbox  PASSED  APASSED  O.257 s  APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  O.257 s  O.257 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.226 s  0.226 s  0.226 s				
screenshot  Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  PASSED  0.138 s	4	And user click search icon	PASSED	0.256 s
5 Then search Customer Address Details record PASSED 0.142 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.257 s  PASSED 0.257 s  PASSED 0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.142 s  0.193 s  0.193 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.193 s  0.257 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.138 s		** AMANDO  **TO 10 P II (100 P II (1		
Screenshot  6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  0.138 s	5	Then search Customer Address Details record	PASSED	0.142 s
6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  0.138 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		EXEMPS  10 9 1 1 10 10 10 10 10 10 10 10 10 10 10 10		
	6	And maker user open the record from inbox	PASSED	0.257 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
		screenshot		


#	Step / Hook Details	Status	Duration
AZENT Outcome  Men  G  A  C  A  C  A  C  A  C  A  C  A  C  A  C  A  C  A  C  C			
	•		
7 The	en click on Additional customer info Segment button	FAILED	10.023 s
org.c //ion- at at at at at src/tr Caus label pleas 'PGC seler label brow}, g norm setW and i at	openga.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath:  -label[text]='Additional Customer Info[/parent:ion-segment-button' (tried for 10 second(s) with 1 milliseconds interval)  torg.openga.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  torg.openga.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  torg.openga.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:231)  thelper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103)  t stepdefinitions.Customer_AddressDetails.click_on_additional_customer_info_segment_button(Customer_AddressDetails.java:49)  t?.click on Additional customer info Segment button(file://IC:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/  test/java/leatures/CustomerAddressDetails.feature:256)  sed by. org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method""xpath", "selector": //ion- selftext()='Additional Customer Info[/parent:ion-segment-button"] (Session info: chrome=100.0.4896.60) For documentation on this error,  see visit. https://selenium.dev/exceptions/fmo_such_element Build info: version: 4.00-rc-1; revision: '10.01, ava-version: '10.01, ava-version: '10.01, ava-version: '10.07, ava-version		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103)		
	at stepdefinitions.Customer_AddressDetails.click_on_additional_customer_info_segment_button(Customer_AddressDetails.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

$\overline{}$

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
22	Then click on save button of Address Detail	SKIPPED	0.000 s





EXPANDED SECTION -- 12 --

