

# Cucumber Report

16-Sep-2022, 12:44:04 pm

Start : Sep 16, 12:42:23.418 pm

End : Sep 16, 12:43:59.309 pm

Duration : 1 m 35.891 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 12  
FAILED - 1  
SKIPPED - 1







| # | Feature Name                                       | T | P | F | S | Duration     |
|---|--|---|---|---|---|--------------|
| 1 | <u>Check the functionality of Property Details</u> | 1 | 0 | 1 | 0 | 1 m 35.891 s |







| # | Feature Name                                | Scenario Name  | T  | P  | F | S | Duration     |
|---|---|--|----|----|---|---|--------------|
| 1 | Check the functionality of Property Details | verify while modification, when user keep any mandatory field blank and click on save button | 14 | 12 | 1 | 1 | 1 m 35.882 s |





**(F)- Check the functionality of Property Details**



|  |                                |  |   |  |   |
|--|--------------------------------|--|---|--|---|
| <b>FAILED</b>                          | <b>DURATION - 1 m 35.891 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 14<br>Pass - 12<br>Fail - 1<br>Skip - 1 |  |
| / 12:42:23.418 pm // 12:43:59.309 pm / |                                |  |   |  |   |



**(S)- verify while modification, when user keep any mandatory field blank and click on save button**

|  |  |  |   |   |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 1 m 35.882 s</div> |  |  | <div>Steps</div> <div>Total - 14</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 12:42:23.427 pm // 12:43:59.309 pm /               |  |  |   |   |
| Check the functionality of Property Details          |  |  |   |   |
| @AT_PD_005   |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User Launch the KULS url for Transaction                                      | PASSED | 13.240 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.298 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And user click on Inbox Icon  | PASSED | 0.273 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.354 s  |
|   | screenshot  |        |          |
|   |  |        |          |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 3 | And user click search icon  | PASSED | 0.127 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.268 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 4 | And user search Appdata Entry   | PASSED | 0.124 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.168 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 5 | And user click on First record of Appdata Entry                                     | PASSED | 0.098 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.401 s  |
|   | screenshot  |        |          |
|   |   |        |          |
| 6 | And user choose Property Details Tab  | PASSED | 1.551 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.957 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 7 | And user click First Record Edit Icon   | PASSED | 1.196 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 1.014 s  |
|   | screenshot  |        |          |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    |    |        |          |
| 8  | And user Modify the Security Type   | PASSED | 1.630 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.166 s  |
|    | screenshot  |        |          |
|    |    |        |          |
| 9  | And user Modify the Property City   | PASSED | 1.277 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.171 s  |
|    | screenshot  |        |          |
|    |    |        |          |
| 10 | And user Modify the Property Type   | PASSED | 1.117 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.157 s  |
|    | screenshot  |        |          |
|    |  |        |          |
| 11 | And user Modify the Apf Status  | PASSED | 1.019 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.155 s  |
|    | screenshot  |        |          |

| #  | Step / Hook Details  | Status | Duration    |
|----|--|--------|-------------|
|    |   |        |             |
| 12 | And user Blank fill the Mandatory field  | PASSED | 1.127 s     |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.185 s     |
|    | screenshot   |        |             |
|    |   |        |             |
| 13 | <p>And user click the update the button</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@aria-label='Success']' (tried for 60 second(s) with 5000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.PersonalDetails_AppDataEntry.user_click_the_update_the_button(PersonalDetails_AppDataEntry.java:1171)</p> <p>at ?.user click the update the button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/Property_Details.feature:117)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@aria-label='Success']"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c61d01a16189b261d7c37ae1e7be07d, findElement {using=xpath, value=//div[@aria-label='Success']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:53653}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53653/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c61d01a16189b261d7c37ae1e7be07d</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> | FAILED | 1 m 0.652 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)<br>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)<br>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)<br>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)<br>at stepdefinitions.PersonalDetails_AppDataEntry.user_click_the_update_the_button(PersonalDetails_AppDataEntry.java:1171)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568) |        |          |




| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <pre> at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.552 s  |
|    | <p>screenshot</p>   |         |          |
| 14 | Then user verify the Required field proper validation message  | SKIPPED | 0.000 s  |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button


(F) Check the functionality of Property  
Details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**AZENTIO ONE Banking**

Search the menu

Dashboard  
Configurations  
Transactions  
Reports

**Inbox**

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date      | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
|        | 483          | APP_CREATE | OFFERING   | CREOFF    | in02040       | 16-Sep-2022 11:12 | HLW           | AHL     |
|        | 551          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 16-Sep-2022 10:53 | HLW           | AHL     |
|        | 546          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 19:12 | HLW           | AHL     |
|        | 541          | APP_CREATE | DISBMKR    | OPEMKR    | in02040       | 15-Sep-2022 17:24 | HLW           | AHL     |
|        | 539          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 17:7  | HLW           | AHL     |
|        | 515          | APP_CREATE | DISBMKR    | OPEMKR    | in02040       | 15-Sep-2022 14:24 | HLW           | AHL     |
|        | 516          | APP_CREATE | OFFERING   | CREOFF    | in02040       | 15-Sep-2022 14:23 | HLW           | AHL     |
|        | 517          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 13:2  | HLW           | AHL     |
|        | 512          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 11:58 | HLW           | AHL     |
|        | 507          | APP_CREATE | DISBMKR    | OPEMKR    | in02040       | 15-Sep-2022 11:36 | HLW           | AHL     |

Showing 1 to 10 of 67 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**AZENTIO ONE Banking**

Search the menu

Dashboard  
Configurations  
Transactions  
Reports

**Inbox**

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date      | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
|        | 483          | APP_CREATE | OFFERING   | CREOFF    | in02040       | 16-Sep-2022 11:12 | HLW           | AHL     |
|        | 551          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 16-Sep-2022 10:53 | HLW           | AHL     |
|        | 546          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 19:12 | HLW           | AHL     |
|        | 541          | APP_CREATE | DISBMKR    | OPEMKR    | in02040       | 15-Sep-2022 17:24 | HLW           | AHL     |
|        | 539          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 17:7  | HLW           | AHL     |
|        | 515          | APP_CREATE | DISBMKR    | OPEMKR    | in02040       | 15-Sep-2022 14:24 | HLW           | AHL     |
|        | 516          | APP_CREATE | OFFERING   | CREOFF    | in02040       | 15-Sep-2022 14:23 | HLW           | AHL     |
|        | 517          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 13:2  | HLW           | AHL     |
|        | 512          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 11:58 | HLW           | AHL     |
|        | 507          | APP_CREATE | DISBMKR    | OPEMKR    | in02040       | 15-Sep-2022 11:36 | HLW           | AHL     |

Showing 1 to 10 of 67 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**AZENTIO ONE Banking**

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

**Inbox**

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date      | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
|        | 551          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 16-Sep-2022 10:53 | HLW           | AHL     |
|        | 546          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 19:12 | HLW           | AHL     |
|        | 539          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 17:7  | HLW           | AHL     |
|        | 517          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 13:2  | HLW           | AHL     |
|        | 512          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 11:58 | HLW           | AHL     |
|        | 506          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 15-Sep-2022 10:22 | HLW           | AHL     |
|        | 489          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 14-Sep-2022 20:59 | HLW           | AHL     |
|        | 480          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 14-Sep-2022 17:28 | HLW           | AHL     |
|        | 478          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 14-Sep-2022 16:54 | HLW           | AHL     |
|        | 468          | APP_CREATE | APPDATAENT | CPUEXEC   | in02040       | 14-Sep-2022 13:42 | HLW           | AHL     |

Showing 1 to 10 of 30 entries << < 1 2 3 > >> 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**AZENTIO ONE Banking**

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Prev Application Info Customer details Additional Customer Info Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**Property Details**

Security Type \*  
Type Of Transaction \*  
Property Type \*  
Construction Status \*  
Nature Of Property \*  
Name Of The Developer \*  
Building Details

Address Details

Address Line 1 \*  
Address Line 2 \*  
Address Line 3 \*  
State  
District/Neighbourhood  
Country  
City  
Pincode

Charge Details

Type Of Charge  
Amount To The Charge Holder  
Name Of The Charge Holder  
Measurement

Unit Details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**Property Details**

Security Type \*  
Type Of Transaction \*  
Property Type \*  
Construction Status \*  
Nature Of Property \*  
Name Of The Developer \*  
Building Details

Address Details

Address Line 1 \*  
Address Line 2 \*  
Address Line 3 \*  
State  
District/Neighbourhood  
Country  
City  
Pincode

Charge Details

Type Of Charge  
Amount To The Charge Holder  
Name Of The Charge Holder  
Measurement

Unit Details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

The screenshot shows the 'Property Details' form in the AZENTIO ONE Banking application. The form is divided into several sections: 'Property Details' (top), 'Address Details' (bottom), and 'Unit Details' (bottom right). The 'Property Details' section includes fields for Security Type (Secondary Collateral), Type Of Transaction (Cheque Payment), Property Type (House), Construction Status (Ready), Nature Of Property (Freehold), Name Of The Developer (Lodha Group), Building Details (PALM PARADISE HILL VIEW), Property City (Beed), Purchased From (Agent), APF Status (NO), Property Category (Commercial), Occupancy Status (Occupied), Project (MANOJA SOCIETY), and Unit Details (A101). The 'Address Details' section includes fields for Address Line 1 (3 car Street), Address Line 2 (Mumbai), Address Line 3 (Maharstra), Country (INDIA), State, and City. The form is displayed on a desktop screen with a sidebar menu on the left and a top navigation bar.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

This is a duplicate of the screenshot above, showing the 'Property Details' form in the AZENTIO ONE Banking application. The form is divided into several sections: 'Property Details' (top), 'Address Details' (bottom), and 'Unit Details' (bottom right). The 'Property Details' section includes fields for Security Type (Secondary Collateral), Type Of Transaction (Cheque Payment), Property Type (House), Construction Status (Ready), Nature Of Property (Freehold), Name Of The Developer (Lodha Group), Building Details (PALM PARADISE HILL VIEW), Property City (Beed), Purchased From (Agent), APF Status (NO), Property Category (Commercial), Occupancy Status (Occupied), Project (MANOJA SOCIETY), and Unit Details (A101). The 'Address Details' section includes fields for Address Line 1 (3 car Street), Address Line 2 (Mumbai), Address Line 3 (Maharstra), Country (INDIA), State, and City. The form is displayed on a desktop screen with a sidebar menu on the left and a top navigation bar.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

Transactions

Reports

Property Details

Security Type \*  
Secondary Collateral

Type Of Transaction \*  
Cheque Payment

Property Type \*  
House

Construction Status \*  
Ready

Nature Of Property \*  
Freehold

Name Of The Developer \*  
Lodha Group

Building Details  
PALM PARADISE HILL VIEW

Address Details

Address Line 1 \*  
3 car Street

Address Line 3 \*  
Maharstra

State

Property City \*  
Beed

Purchased From \*  
Agent

APF Status \*  
NO

Property Category \*  
Commercial

Occupancy Status \*  
Occupied

Project  
MANOJA SOCIETY

Unit Details  
A101

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

Transactions

Reports

Property Details

Security Type \*  
Secondary Collateral

Type Of Transaction \*  
Cheque Payment

Property Type \*  
House

Construction Status \*  
Select

Nature Of Property \*  
Freehold

Name Of The Developer \*  
Lodha Group

Building Details  
PALM PARADISE HILL VIEW

Address Details

Address Line 1 \*  
3 car Street

Address Line 3 \*  
Maharstra

State

Property City \*  
Beed

Purchased From \*  
Agent

APF Status \*  
NO

Property Category \*  
Commercial

Occupancy Status \*  
Occupied

Project  
MANOJA SOCIETY

Unit Details  
A101

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification, when user  
keep any mandatory field blank and click  
on save button

(F) Check the functionality of Property  
Details

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a dark blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Property Details' and contains a form with the following sections:

- Property Details:**
  - Security Type \*: Secondary Collateral
  - Type Of Transaction \*: Cheque Payment
  - Property Type \*: House
  - Construction Status \*: Select
  - Nature Of Property \*: Freehold
  - Name Of The Developer \*: Lodha Group
  - Building Details: PALM PARADISE HILL VIEW
- Address Details:**
  - Address Line 1 \*: 3 car Street
  - Address Line 3 \*: Maharashtra
  - State: Maharashtra
- Other Fields:**
  - Property City \*: Beed
  - Purchased From \*: Agent
  - APF Status \*: NO
  - Property Category \*: Commercial
  - Occupancy Status \*: Occupied
  - Project: MANOJA SOCIETY
  - Unit Details: A101
  - Address Line 2 \*: Mumbai
  - Country: INDIA
  - City: Amravati

A 'Required field' label is visible next to the 'Construction Status' dropdown.