

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	1	0	0	1 m 14.691 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit	To verify user is able to add new Deposite account record in	13	13	0	0	1 m 14.678 s
	Account master	the system by entering invalid data					

DETAILED SECTION

(F)- To verify the functionality of Deposit Account master

PASSED	DURATION - 1 m 14.691 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 5:21:02.548 PM	1 // 5:22:17.239 PM /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user is able to add new Deposite account record in the system by entering invalid data

PASSED DURATION - 1 m 14.678 s							-	-		-			-	;	Steps	
/ 5:21:02.561 PM // 5:22:17.239 PM /	30 -	-	L -	-	-	-	-	-		-	-	-		!	Total - 13	
To verify the functionality of Deposit Account	20 -			-	-	-	-	-		-	-				Pass - 13	13
master	10 -		-							-;	-;				Fail - 0	
@DepositMaster_M4_10_5c	0 -	 1	2	3	4	5	6	7	8	9	10	11	12	13	Skip - 0	
			2		-	-			-	3	1-3		12.	10		l

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	38.856 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		
	AZENTO **** OF THE CONTROL OF THE C		
2	And Click the configuration	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
	ASSETTION Note 12 of 1 (200) (


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) AAGUIck the temp view icon of deposit master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) AFTER_ST	#	Step / Hook Details	Status	Duration
Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And Click the temp view icon of deposit master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s 4.945 s	3	Then Click the config Manager	PASSED	0.488 s
4 Then Get the data set id for invalid data validation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Click the temp view icon of deposit master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
4 Then Get the data set id for invalid data validation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.299 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s 0.381 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click the temp view icon of deposit master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s				
screenshot And Click the temp view icon of deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.714 s PASSED 1.299 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.077 s PASSED 1.972 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s	4	Then Get the data set id for invalid data validation	PASSED	0.364 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click the Add button in the deposit master AFTER_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.299 s AFTER_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s AFTER_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.469 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.299 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.077 s Then save the record in branch mapping PASSED 1.972 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.714 s 1.714 s 1.714 s 1.714 s 1.715 s 4.716 s		2.252100		
screenshot Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then save the record in branch mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.299 s 1.077 s 1.077 s 1.077 s 2.00 p 4.00 p	5	And Click the temp view icon of deposit master	PASSED	0.346 s
Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot Then save the record in branch mapping AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 1.299 s 1.077 s 1.077 s PASSED 1.972 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.381 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.714 s
Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then save the record in branch mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.299 s 1.077 s 1.077 s 1.077 s 4.072 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.972 s 0.381 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then save the record in branch mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.077 s PASSED 1.077 s PASSED 0.381 s				
Screenshot Then save the record in branch mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s	6	Then Click the Add button in the deposit master	PASSED	1.299 s
7 Then save the record in branch mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.077 s
7 Then save the record in branch mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s				
	7	Then save the record in branch mapping	PASSED	1.972 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
Service is a servic		screenshot		


#	Step / Hook Details	Status	Duration
	*** A CANADO **** A CANADO ***		
8	And validate the record with blank field in deposit master	PASSED	1.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
	TATACTO TO THE STATE OF THE ST		
9	Then Validate the numeric field with character value in deposit master	PASSED	0.587 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
10	Then save the record in branch mapping	PASSED	0.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		
	TOTAL		
11	Then Validate the numeric field with special character value in deposit master	PASSED	0.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		

#	Step / Hook Details	Status	Duration
	TARRETO TO THE PART OF THE PAR		
12	Then save the record in branch mapping	PASSED	0.573 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.985 s
	screenshot		
13	Then Verify the functionality of the back button	PASSED	0.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.925 s
	*** CANCEL ************************************		


-- 7 --

EXPANDED SECTION -- 8 --







EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

