

Cucumber Report

Sep 22, 2022, 9:07:32 PM

Start : Sep 22, 9:07:13.297 PM

End : Sep 22, 9:07:31.227 PM

Duration : 17.930 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 1

SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	17.930 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify the functionality of save button post entering all valid details and clicking on save button	23	6	1	16	17.924 s





(F)- Check the functionality of Customer Address Details screen


FAILED	DURATION - 17.930 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 23 Pass - 6 Fail - 1 Skip - 16	
/ 9:07:13.297 PM // 9:07:31.227 PM /					


(S)- verify the functionality of save button post entering all valid details and clicking on save button

<div>FAILED</div> <div>DURATION - 17.924 s</div>	 <table border="1"><thead><tr><th>Step</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>0</td><td>1</td><td>0</td></tr><tr><td>2</td><td>6</td><td>0</td><td>0</td></tr><tr><td>3</td><td>0</td><td>0</td><td>1</td></tr><tr><td>4</td><td>0</td><td>0</td><td>1</td></tr><tr><td>5</td><td>0</td><td>0</td><td>1</td></tr><tr><td>6</td><td>0</td><td>0</td><td>1</td></tr><tr><td>7</td><td>0</td><td>0</td><td>1</td></tr><tr><td>8</td><td>0</td><td>0</td><td>1</td></tr><tr><td>9</td><td>0</td><td>0</td><td>1</td></tr><tr><td>10</td><td>0</td><td>0</td><td>1</td></tr><tr><td>11</td><td>0</td><td>0</td><td>1</td></tr><tr><td>12</td><td>0</td><td>0</td><td>1</td></tr><tr><td>13</td><td>0</td><td>0</td><td>1</td></tr><tr><td>14</td><td>0</td><td>0</td><td>1</td></tr><tr><td>15</td><td>0</td><td>0</td><td>1</td></tr></tbody></table>	Step	Pass	Fail	Skip	1	0	1	0	2	6	0	0	3	0	0	1	4	0	0	1	5	0	0	1	6	0	0	1	7	0	0	1	8	0	0	1	9	0	0	1	10	0	0	1	11	0	0	1	12	0	0	1	13	0	0	1	14	0	0	1	15	0	0	1	<div>Steps</div> <div>Total - 23</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 16</div> <div></div>
Step		Pass	Fail	Skip																																																														
1		0	1	0																																																														
2		6	0	0																																																														
3	0	0	1																																																															
4	0	0	1																																																															
5	0	0	1																																																															
6	0	0	1																																																															
7	0	0	1																																																															
8	0	0	1																																																															
9	0	0	1																																																															
10	0	0	1																																																															
11	0	0	1																																																															
12	0	0	1																																																															
13	0	0	1																																																															
14	0	0	1																																																															
15	0	0	1																																																															
<div>/ 9:07:13.303 PM // 9:07:31.227 PM /</div>																																																																		
<div>Check the functionality of Customer Address Details screen</div>																																																																		
<div>@AT_CAD_002</div>																																																																		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
	screenshot		
			
2	And User Login as maker	PASSED	3.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.779 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should click on the menu toggle	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot 		
4	Then click on inbox	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot 		
5	And user click search icon	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot 		
6	Then search Customer Address Details record	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	<p>And maker user open the record from inbox</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'648')]/../td/button"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [db361797ebcdc6e55625e0e5907c336f, findElement {using=xpath, value=//span[contains(text(),'648')]/../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52327}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52327/devtoo..., se.cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: db361797ebcdc6e55625e0e5907c336f at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.maker_user_open_the_record_from_inbox(ProductMaster_Retail.java:1180) at ?.maker user open the record from inbox(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/ java/features/CustomerAddressDetails.feature:256) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then click on Additional customer info Segment button	SKIPPED	0.000 s
9	Then click on Action button of Customer Personal Information	SKIPPED	0.001 s
10	Then from customer identification screen click on add button of Address details	SKIPPED	0.000 s
11	Then select Address Type	SKIPPED	0.000 s
12	Then select Address Status	SKIPPED	0.001 s
13	Then select Residential or Occupancy Status	SKIPPED	0.000 s
14	Then Enter Address Line1	SKIPPED	0.000 s
15	Then Enter Address Line2	SKIPPED	0.000 s
16	Then select Country	SKIPPED	0.001 s
17	Then select Province ID	SKIPPED	0.000 s
18	Then Enter Neighbourhood District Name	SKIPPED	0.001 s
19	Then select City ID	SKIPPED	0.000 s
20	Then Enter Zip Code	SKIPPED	0.001 s
21	Then Enter Mobile Number primary	SKIPPED	0.000 s
22	Then Enter Occupancy Date	SKIPPED	0.001 s
23	Then click on save button of Address Detail	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of save button
post entering all valid details and clicking
on save button


(F) Check the functionality of Customer
Address Details screen





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of save button
post entering all valid details and clicking
on save button

(F) Check the functionality of Customer
Address Details screen



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the functionality of save button post entering all valid details and clicking on save button</u></p>	
<p><u>(F) Check the functionality of Customer Address Details screen</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the functionality of save button post entering all valid details and clicking on save button</u></p>	
<p><u>(F) Check the functionality of Customer Address Details screen</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of save button
post entering all valid details and clicking
on save button

(F) Check the functionality of Customer
Address Details screen

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

×

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	CHQPR	OPEEXEC	in02040	22-Sep-2022 19:19	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:8	HLW	AHL		T	T
	610	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:56	HLW	AHL		T	T

Showing 1 to 10 of 103 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of save button
post entering all valid details and clicking
on save button

(F) Check the functionality of Customer
Address Details screen

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

×

617

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	CHQPR	OPEEXEC	in02040	22-Sep-2022 19:19	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:8	HLW	AHL		T	T
	610	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:56	HLW	AHL		T	T

Showing 1 to 10 of 103 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of save button
post entering all valid details and clicking
on save button

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

617

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T

Showing 1 to 1 of 1 entries

1

10