


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	31.394 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal	verify user is able to modify existing record of customer	11	10	1	0	31.388 s
	Details App data Entry	details					

DETAILED SECTION -- 4 --

## (F)- Check The functionality of the Personal Details App data Entry

FAILED	DURATION - 31.394 s	Scenarios		Steps	
		Total - 1		Total - 11	
5:58:52.164	pm // 5:59:23.558 pm /	Pass - 0	1	Pass - 10	11
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- verify user is able to modify existing record of customer details



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
	A SENTICE  C. Dispose Community  Dispose Community		
2	Then user click on Transaction Module	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		

#	Step / Hook Details	Status	Duration
	A SEASTRUE  C: C		
3	And user click on Application Details	PASSED	5.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		
	ACTION CO. IN CO		
4	And user click on Inbox Icon	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	Screenshot    Application   Ap		
5	And user click search icon	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot	_	
	E 20 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
6	And user search Appdata Entry	PASSED	0.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s


#	Step / Hook Details	Status	Duration
	screenshot		
	## ASSENTO    Company   Co		
7	And user click on First record of Appdata Entry	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
	A SECURIO		
8	And user click on Customer Details Tab	PASSED	5.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
	ASSENTICE  CO TO SECURITY  CO		
9	And user click on First Record Edit Icon	PASSED	0.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.676 s
	screenshot		
	ASSETTO  ASS		
10	And user Modify the Applicant Type field	PASSED	0.618 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot	1	
	Approximate of the process of the pr		
11	And user click the update the button	FAILED	0.412 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/ldiv[@aria-label="Success"]" (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: "vision: "bc551:Loda" System info: host: "NMUVADP01647, p: "0.1.4.7.111", os.name: Windows 10", os.arch: "amd64", os.version: "10.0", java.version: "17.0.1" Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [195dleb122bedb4cda08960f82d8c862, findElement (using=xpath, value=//div[@aria-label=Success]]] Capabilities (acceptinsecureCerts: talse, browserName: chrome, browserVersion: 105.0.5195.102, chrome: (chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:VUsersININDC=1AppDataL), goog:chromeOptions: (debuggerAddress: localhost:52401), javascripitabled: true, networkConnectionEnabled: false, page_LoadStrategy normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:.dg: ws://localhost:52401/devtoo, se:.dg/version: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad3.00000, script: 300000, unhandfed*promptBehadvor: dsmiss and notify, webauthn-extension:credBlob: true, webauthn-virtualAuthenticators: true) Session ID: 195dleb122bedb4cda08960f82d8c862 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jak.internal.reflect.NativeConstructor.exessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jak.internal.reflect.Constructor.newInstanceWinterConstructor.java:490) at java.base/jak.internal.reflect.Constructor.newInstanceWinterConstructor.java:490) at java.base/jak.alang.reflect.Constructor.newInstanceWinterConstructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:23) at org.openqa.selenium.r		


DETAILED SECTION -- 8 --

ŧ			Step / Hook Details	Status	Duration
			DataEntry.feature:114) tracters are replaced by '?'.		
	AFTER_STE	P - ste	epdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot				
ŀ					
	Q Search the mone	Information	Max Max C		
	Personal Detail 88 tenteuri  Outcomrigor  Outcomrigor	Applicant Type •	Same:		
	D\$ Itemsections A KYC Status	- Guerentor First Name *	To Man To Middle Man To		
	Application manager A  Cast Name *  Quatomer details (2)	Father's Frot Name*	Ration Model Mone*		
	Outbrand details State   Father's Lost Name *	Spound First Name	constant in the second		
	Customer deaths  Customer address  Customer address  Customer Spouse's Last Name  Spouse's Last Name	No. Of Children	Special States Account		
	Application Details Inc. of the Property of the				


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

