
Duration : 8.996 s Start: Feb 14, 9:50:58.026 AM End: Feb 14, 9:51:07.022 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 28 28 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	8.996 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	To verify the functionality of Deposit	To verify user is able to add new Deposite account record in	28	0	0	28	8.991 s
	Account master	the system by entering valid data					

DETAILED SECTION

-- 4 --

(F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 8.996 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 9:50:58.026 A	M // 9:51:07.022 AM /	Pass - 0	1	Pass - 0	28
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 28	

(S)- To verify user is able to add new Deposite account record in the system by entering valid data

FAILED DURATION - 8.991 s	0.15	,][1				-	Steps			
/ 9:50:58.031 AM // 9:51:07.022 AM /	0.1	#							-				ļ				- + -	Total - 28			
To verify the functionality of Deposit Account master	.05	-						-					ļ					Pass - 0		28	
	0						<u>. i</u>			<u>.</u>	<u> </u>		<u> </u>	<u> </u>				Skip - 28	_		
@DepositMaster_M1_1_1c			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	8.897 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PS\973U', ip: '10.200.10.43', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, extensions: []}}, at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:266) at org.openqa.selenium.remote.RemoteWebDriver.sinit>(ChromiumDriver.java:369)	PAILLD	0.097 \$

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1		CKIPPED	0.001 -
1	Given Get the URL and login as maker	SKIPPED	0.001 s
2	And Click the configuration	SKIPPED	0.000 s
3	Then Click the config Manager	SKIPPED	0.001 s
4	And Click the eye icon of deposit master	SKIPPED	0.000 s
5	Then Choose the data set id for creation of deposit account master	SKIPPED	0.000 s
6	Then Click the Add button in the deposit master	SKIPPED	0.001 s
7	And Verify all the fields in deposit screen	SKIPPED	0.000 s
8	Then Select the Bank name in deposit master	SKIPPED	0.001 s
9	And Select the branch name in deposit master	SKIPPED	0.000 s
10	Then Choose the accounting type in deposit master	SKIPPED	0.001 s
11	And Enter the account number in depost master	SKIPPED	0.000 s
12	Then Choose the account currency in deposit master	SKIPPED	0.001 s
13	And Choose the payment account indicator	SKIPPED	0.001 s
14	Then Select the chart of account mapping type in deposit master	SKIPPED	0.001 s
15	And Select the account status	SKIPPED	0.001 s
16	Then Save the record in deposit master	SKIPPED	0.000 s
17	And Click the pencil icon in deposit master	SKIPPED	0.001 s
18	Then Click the branch maping	SKIPPED	0.000 s
19	And Verify the fields in branch mappinng	SKIPPED	0.000 s
20	Then Choose the availble collection	SKIPPED	0.000 s
21	And Map the available collection to selected	SKIPPED	0.000 s
22	Then save the record in branch mapping	SKIPPED	0.000 s
23	And Click the inbox in deposit master	SKIPPED	0.000 s
24	Then Search the record in serch field	SKIPPED	0.001 s
25	And Get the reference id and store it in json	SKIPPED	0.000 s
26	And Click the first action icon in deposit master	SKIPPED	0.000 s
27	Then Submit the record in deposit master	SKIPPED	0.001 s
28	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)	- TAILLE	3.000