Cucumber Report

13-Oct-2022, 1:56:30 pm

Start : Oct 13, 1:55:23.902 pm	End : Oct 13, 1:56:24.066 pm	Duration : 1 m 0.164 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 19 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	1 m 0.164 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	Creation of Warehouse Master record_ Add Template	19	19	0	0	1 m 0.159 s

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 1 m 0.164 s	Scenarios		Steps	
/ 1:55:23.902 pm // 1:56:24.066 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 19 Pass - 19 Fail - 0 Skip - 0	

(S)- Creation of Warehouse Master record_ Add Template

PASSED	DURATION - 1 m 0.159 s		Steps	
/ 1:55:23.907 pm // 1:56:24.066 pm /			Total - 19 Pass - 19 Fail - 0 Skip - 0	
check the functionality of the Warehouse Master				
@AT_WHM_T002_Reject_Creation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	15.936 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.464 s
	screenshot 		
2	Then user click on configurations Tab	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.803 s
	screenshot		
5	And user click on Add icon for Warehouse master	PASSED	0.301 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.651 s
	screenshot		
			
6	And user Enter the value in description and verify it	PASSED	3.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
7	And user Enter the value For Address field and verify it	PASSED	0.734 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in country field and verify it	PASSED	2.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot		
			
9	And user Enter the value in state field and verify it	PASSED	0.740 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
			
10	And user Enter the value in Location field and verify it	PASSED	0.911 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
			
11	And user Enter the value in Zip code field and verify it	PASSED	0.812 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user Enter the value in Phone field and verify it	PASSED	0.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
13	And user Enter the value in Fax field and verify it	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
			
14	And user Enter the value For Email field and verify it	PASSED	0.489 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
	screenshot		
			
15	And user Enter the value in Contact person field and verify it	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user save the warehouse master Record	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		
17	And user goto the Maker Inbox and store the Referance ID	PASSED	4.586 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
18	Then user Click on Action Icon	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
			
19	And user verify the submit button and submit the Record from Maker stage	PASSED	9.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.432 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Warehouse Master record_ Add Template

(F) check the functionality of the Warehouse Master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Warehouse Master record_ Add Template

(F) check the functionality of the Warehouse Master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Warehouse Master record_ Add Template	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Warehouse Master record_ Add Template

(F) check the functionality of the Warehouse Master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Warehouse Master record_ Add Template

(F) check the functionality of the Warehouse Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Warehouse Master record_ Add Template

(F) check the functionality of the Warehouse Master