# Cucumber Report

17-Oct-2022, 5:28:54 pm

| Start : Oct 17, 5:27:47.854 pm | End : Oct 17, 5:28:42.185 pm | Duration : 54.331 s |
|---|---|---|

| Features | Scenarios | Steps |
|---|---|---|
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 8<br>FAILED - 1<br>SKIPPED - 0 |










| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | check the functionality of the Warehouse Master | 1 | 0 | 1 | 0 | 54.331 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | check the functionality of the Warehouse Master | verify while modification system enters the invalid data (Invalid data types) | 9 | 8 | 1 | 0 | 54.323 s |

## (F)- check the functionality of the Warehouse Master

| FAILED | DURATION - 54.331 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 5:27:47.854 pm // 5:28:42.185 pm / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Total - 9<br>Pass - 8<br>Fail - 1<br>Skip - 0 |  |

## (S)- verify while modification system enters the invalid data (Invalid data types)

| FAILED | DURATION - 54.323 s |  | Steps | |
|---|---|---|---|---|
| / 5:27:47.862 pm // 5:28:42.185 pm / | |  | Total - 9<br>Pass - 8<br>Fail - 1<br>Skip - 0 |  |
| check the functionality of the Warehouse Master | | | | |
| @AT_WHM_T006_Invalid | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user log in as uls application maker | PASSED | 26.029 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.398 s |
| | screenshot | | |
| |  + | | |
| 2 | Then user click on configurations Tab | PASSED | 0.153 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.324 s |
| | screenshot | | |
| |  + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | When user click Config Manager menu | PASSED | 0.459 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.440 s |
| | screenshot | | |
| |  | | |
| 4 | And user click list view icon of Warehouse Master | PASSED | 0.323 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.090 s |
| | screenshot | | |
| | | | |
| 5 | And user click Temp view icon of Warehouse Master | PASSED | 0.171 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.670 s |
| | screenshot | | |
| | | | |
| 6 | And user click on First Record Edit icon | PASSED | 0.306 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.905 s |
| | screenshot | | |
| |  | | |
| 7 | And user Enter the value in description and Modify it | PASSED | 2.103 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  + | | |
| 8 | And user Enter the value in Address field and Modify it | PASSED | 1.011 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br>screenshot<br>  + | PASSED | 0.221 s |
| 9 | And user Enter Invalid Data in warehouse Master | FAILED | 1.186 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),' Maximum allowed length is 50')]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [61dc82c5ee21c584cf0c708c0f3cb30a, findElement {using=xpath, value=//ion-badge[contains(text(),' Maximum allowed length is 50')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61554/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 61dc82c5ee21c584cf0c708c0f3cb30a<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at stepdefinitions.WareHouseMaster.user_enter_invalid_data_in_warehouse_master(WareHouseMaster.java:714)<br>at ?.user Enter Invalid Data in warehouse Master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:198)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br>screenshot<br>  | PASSED | 1.053 s |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) verify while modification system enters the invalid data (Invalid data types) | |
| (F) check the functionality of the Warehouse Master | |



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) verify while modification system enters the invalid data (Invalid data types) | |
| (F) check the functionality of the Warehouse Master | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) verify while modification system enters the invalid data (Invalid data types) | |
| (F) check the functionality of the Warehouse Master | |



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) verify while modification system enters the invalid data (Invalid data types) | |
| (F) check the functionality of the Warehouse Master | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master