

Cucumber Report

26-Oct-2022, 4:42:39 pm

Start : Oct 26, 4:41:10.105 pm

End : Oct 26, 4:42:29.225 pm

Duration : 1 m 19.120 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Verify the functionalities of Collateral subtype master Module</u>	1	0	1	0	1 m 19.120 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify the functionalities of Collateral subtype master Module	Validate the user can able to update collateral sub type record	11	10	1	0	1 m 19.111 s





(F)- Verify the functionalities of Collateral subtype master Module





FAILED	DURATION - 1 m 19.120 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
/ 4:41:10.105 pm // 4:42:29.225 pm /					

(S)- Validate the user can able to update collateral sub type record

<div>FAILED</div> <div>DURATION - 1 m 19.111 s</div>		<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 4:41:10.114 pm // 4:42:29.225 pm /</div>			
<div>Verify the functionalities of Collateral subtype master Module</div>			
<div>@Collateral_SubType_M5</div>			


#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to collateral subtype module view list	PASSED	16.653 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot 		
2	And Navigate to temp view of collateral sub type	PASSED	2.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	And Select the existing record in collateral sub type	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
			
4	And Update test data for collateral sub type update	PASSED	2.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			
5	And Update the value in Description field of collateral sub type	PASSED	0.374 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
			
6	And Update the value in Asset_CollateralSubtypeCode field	PASSED	0.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
7	And Update the value in Asset_CollateralType field	PASSED	0.644 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.780 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Update the value in Exposure field	PASSED	12.555 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
9	And Update the value in Asset_CollateralValuationTolerance field	PASSED	0.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
			
10	And Update the value in Remarks field of collateral sub type	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
			
11	Then Click on Save button in collateral subtype	FAILED	30.670 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@role='alert'])[2]' (tried for 30 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_CollateralSubType_Step.click_on_save_button_in_collateral_subtype(KULS_CollateralSubType_Step.java:61)</p>		

#	Step / Hook Details	Status	Duration
	<p>at ?.Click on Save button in collateral subtype(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CollateralSubTypeMasterFeature.feature:128)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@role='alert']"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUJVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f88c8d510a38ebaa20c0868efa88bc10, findElement {using=xpath, value=("//div[@role='alert']")}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:57164}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57164/devtools, se.cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f88c8d510a38ebaa20c0868efa88bc10</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_CollateralSubType_Step.click_on_save_button_in_collateral_subtype(KULS_CollateralSubType_Step.java:61)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot	PASSED	0.303 s
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

The screenshot displays the AZENTIO ONEBanking dashboard. The left sidebar contains a menu with options: Dashboard, Configurations (Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master), Transactions, and Reports. The main content area is titled 'List of Asset/Collateral subtype' and shows a table with the following data:

Action	Asset/Collateral type Subtype Code	Description	Status	Authorization Status
	2031	Sample mod	Active	
	3031	Test mod	Active	
	1031	SSD	Active	MAKER
	3332323	test	Active	
	88	testmod	Active	

Showing 1 to 5 of 16 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

List of Asset/Collateral subtype

Action	Asset/Collateral type Subtype Code	Description	Status	Authorization Status
	2031	Sample mod	Active	
	3031	Test mod	Active	
	1031	SSD	Active	MAKER
	3332323	test	Active	
	88	testmod	Active	

Showing 1 to 5 of 16 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

Sample mod

Asset/Collateral Subtype Code *

2031

Asset/Collateral Type *

SHAR

Asset/Collateral Valuation Tolerance % *

74

Exposure % *

98

Remarks *

Yes

Status

☒

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

SHAR

Asset/Collateral Valuation Tolerance % *

74

Status

Asset/Collateral Subtype Code *

2031

Exposure % *

98

Remarks *

Yes

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

SHAR

Asset/Collateral Valuation Tolerance % *

74

Status

Asset/Collateral Subtype Code *

4029

Exposure % *

98

Remarks *

Yes

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

SHAR

Asset/Collateral Subtype Code *

4029

Exposure % *

98

Remarks *

Yes

Select

- LEGMOR
- EQUIMOR
- CHATMOR
- GUARSEC
- LIEN
- DEBEN
- SHAR
- TBILL
- CMA
- Code 2
- DTMS
- COLTTY

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

DEBEN

Asset/Collateral Subtype Code *

4029

Exposure % *

4

Asset/Collateral Valuation Tolerance % *

74

Remarks *

Yes

Status

On

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO
ONE Banking

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

DEBEN

Asset/Collateral Valuation Tolerance % *

48

Status

Asset/Collateral Subtype Code *

4029

Exposure % *

e

Remarks *

Yes

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO
ONE Banking

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

DEBEN

Asset/Collateral Valuation Tolerance % *

48

Status

Asset/Collateral Subtype Code *

4029

Exposure % *

e

Remarks *

ok update

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

DEBEN

Asset/Collateral Valuation Tolerance % *

48

Asset/Collateral Subtype Code *

4029

Exposure % *

e

Remarks *

ok update

Status