


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	collateral Functionality	1	1	0	0	26.824 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	collateral Functionality	collateral - to check the functionality of list view buttons of	12	12	0	0	26.819 s
		WIP records					

DETAILED SECTION --- 4 -

(F)- collateral Functionality

PASSED	DURATION - 26.824 s	Scenarios		Steps	
	<u> </u>	Total - 1		Total - 12	
/ 12:11:52.765 F	PM // 12:12:19.589 PM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- collateral - to check the functionality of list view buttons of WIP records

PASSED DURATION - 26.819 s	67									Steps	
/ 12:11:52.770 PM // 12:12:19.589 PM /	4 -	 		 		 <u>.</u>			 	Total - 12	
collateral Functionality	2 -	 		 		 	<u> </u>		 -	Pass - 12 Fail - 0	12
@M11	0		<u> </u>	 	-	 		<u> </u>	 <u> </u>	Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
	AZENTIO IMPA		
2	And User Login as maker	PASSED	4.836 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		


#	Step / Hook Details	Status	Duration
	C S P S Note that the state of		
3	Then click on Asset collateral config	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
	Company of the compan		
4	Then click on collateral Edit icon	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	Screenshot To 9 to 100 to 10	-	
5	Then verify collateral wip list view fields should display all the fields	PASSED	1.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.156 s
6	Then values in collateral wip list view should not be editable	PASSED	0.042 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		

7 Then verify collateral wip add button should allow to create new record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 Then verify collateral wip search box should display matching record with matched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 9 Then verify collateral wip search box should display matching record with mismatched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.279 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.279 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s PASSED 0.216 s PASSED 0.358 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 8 Then verify collateral wip search box should display matching record with matched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.16 s PASSED 0.716 s PASSED 0.358 s		Transfer of the following state Tran		
8 Then verify collateral wip search box should display matching record with matched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s PASSED 0.358 s	7	Then verify collateral wip add button should allow to create new record	PASSED	1.339 s
8 Then verify collateral wip search box should display matching record with matched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
8 Then verify collateral wip search box should display matching record with matched data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s PASSED 0.358 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s 1.279 s 0.111 s		C TO A MATERIAN TRANSPORT C TO A MATERIAN TRANS		
Screenshot 9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s	8	Then verify collateral wip search box should display matching record with matched data	PASSED	3.748 s
9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
9 Then verify collateral wip search box should not display any record with mismatched data AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s PASSED 0.358 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s 0.716 s PASSED 0.716 s PASSED 0.358 s		TO THE PARTY OF TH		
Screenshot 10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s 0.358 s	9	Then verify collateral wip search box should not display any record with mismatched data	PASSED	1.279 s
10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.716 s 0.358 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
10 Then click on collateral wip export to pdf button system should download Pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s 0.358 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s				
	10	Then click on collateral wip export to pdf button system should download Pdf file	PASSED	0.716 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
		screenshot		


#	Step / Hook Details	Status	Duration
	A SENTO IN SECURITY STATES AND SECURITY SECURITY STATES AND SECURITY STATES AND SECURITY STATES AND SECURITY STATES AND SECURITY SECURITY STATES AND SECURITY SECURI		
11	Then click on collateral wip export to excel button system should download Excel file	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
	A SEATO C		
12	Then user logout from the application	PASSED	2.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
	*** *** *** *** *** *** *** *** **		


EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

