

Cucumber Report

21-Sep-2022, 3:27:03 pm

Start : Sep 21, 3:26:17.041 pm

End : Sep 21, 3:27:01.740 pm

Duration : 44.699 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 12


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	44.699 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	14	12	1	1	44.694 s





(F)- check the functionality of Customer address details

FAILED	DURATION - 44.699 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 12 Fail - 1 Skip - 1	
/ 3:26:17.041 pm // 3:27:01.740 pm /					



(S)- verify system allow user to do a modification on already approved record


FAILED	DURATION - 44.694 s		Steps Total - 14 Pass - 12 Fail - 1 Skip - 1	
/ 3:26:17.046 pm // 3:27:01.740 pm /				
check the functionality of Customer address details				
@AT_CAD_07				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	12.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.770 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	5.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.409 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	1.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.798 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.666 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user click on Address Information First Record Edit Icon	PASSED	1.500 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.657 s
	screenshot		
			
9	And user Modify the Address type field	PASSED	1.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
			
10	And user Modify the Address Status field	PASSED	0.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
			
11	And user Modify the Residential status field	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user Modify the Province ID field	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
			
13	And user Modify the City ID field	FAILED	6.116 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-sob-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-pristine ng-valid ios in-item hydrated select-expanded ng-touched ion-pristine ion-valid ion-touched" role="button" aria-haspopup="listbox" aria-label="Yavatmal , City id *" ng-reflect-model="909935">...</ion-select> is not clickable at point (1475, 675). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-8" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20008; --width:792.016px;">...</ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a7b0b7c3202ace09c74151283ab139b1, clickElement {id=dbcd1c4c-8fc2-47ab-a603-dea2391416f2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:56250}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56250/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a7b0b7c3202ace09c74151283ab139b1)] -> xpath: //ion-label[text()=' City id ']/parent::ion-item//ion-select] Session ID: a7b0b7c3202ace09c74151283ab139b1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Customer_Address_Information.user_modify_the_city_id_field(Customer_Address_Information.java:604) at ?.user Modify the City ID field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ CustomerAddress_details.feature:88) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.161 s
14	And user click the update the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	594	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:48	HLW	AHL
	593	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:43	HLW	AHL
	591	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:7	HLW	AHL
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	AHL
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	AHL
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	594	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:48	HLW	AHL
	593	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:43	HLW	AHL
	591	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:7	HLW	AHL
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	AHL
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	AHL
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area displays an 'Inbox' table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A single entry is visible with Reference Id 506, Event Code APP_CREATE, Stage Code APPDATAENT, Role Code CPUEXEC, Employee Name in02040, Created Date 15-Sep-2022 10:22, Workflow Code HLW, and Product AHL. The table shows 'Showing 1 to 1 of 1 entries' and a pagination control set to 10.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

This screenshot shows the same AZENTIO ONEBOOKING application interface as the first one, but the 'Inbox' table is currently empty. The sidebar menu and top navigation bar remain the same. The table headers are visible, but no data entries are present. The pagination control at the bottom right shows 'Next' and a list icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot shows the AZENTIO ONE Banking application interface. The top navigation bar includes the AZENTIO logo, a search bar, and a menu with options like Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. The left sidebar contains a search bar and a menu with options like Dashboard, Configurations, Transactions, and Reports. The main content area is currently blank, suggesting the user is navigating to a new section.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot shows the AZENTIO ONE Banking application interface. The top navigation bar includes the AZENTIO logo, a search bar, and a menu with options like Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. The left sidebar contains a search bar and a menu with options like Dashboard, Configurations, Transactions, and Reports. The main content area displays the 'Customer Identification' section, which includes a table with columns for Action, ID Type, ID Number, Issue Date, Expiry Date, Primary ID flag, Verified Flag, Verified Message, and Status. The table shows one entry with ID Number 12345612345 and Status Active. Below the table is the 'Address Details' section, which includes a table with columns for Action, Address Type, Country, Occupancy Status, Occupance Since, Contact Address, and Status. The table shows one entry with Address Type 16, Country 1105415, Occupancy Status 52420, Occupance Since 06-Sep-2022, Contact Address AddressLine1, and Status Active.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO ONE Banking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type *
Office

Residential Or Occupancy Status *
Financed

Address Line 1 *
AddressLine1
Commercial rent

Country *
Dormitory
INDIA

Neighbourhood/District Name *
mumbai

Zip Code *
123456

Mobile Number (Primary)
1234567123

Duration Of Stay
0

Address Status *
Previous

Communication Address
[Toggle]

Address Line 2 *
Address Line 2

Province Id *
Maharastra

City Id *
Yavatmal

PO BOX Number
12345

Mobile Number (Primary)
1234567123

Latitude Details Of The Address

Land Mark

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO ONE Banking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type *
Office

Residential Or Occupancy Status *
Financed

Address Line 1 *
AddressLine1

Country *
INDIA

Neighbourhood/District Name *
mumbai

Zip Code *
123456

Mobile Number (Primary)
1234567123

Duration Of Stay
0

Address Status *
Previous

Communication Address
Maharastra

Address Line 2 *
Address Line 2

Province Id *
Maharastra

City Id *
Yavatmal

PO BOX Number
12345

Mobile Number (Primary)
1234567123

Latitude Details Of The Address

Land Mark

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO ONE Banking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type *
Office

Residential Or Occupancy Status *
Financed

Address Line 1 *
AddressLine1

Country *
INDIA

Neighbourhood/District Name *
mumbai

Zip Code *
123456

Mobile Number (Primary)
1234567123

Duration Of Stay
0

Longitude Details Of The Address

Address Status *
Previous

Communication Address
☐

Address Line 2 *
Address Line 2

Province Id *
Maharashtra

City Id *
Yavatmal

Select
Thane
Yavatmal
Washim
Wardha