Cucumber Report

| Start : Dec 02, 3:16:35.168 pm	End : Dec 02, 3:17:36.033 pm	Duration : 1 m 0.865 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 14 FAILED - 0 SKIPPED - 0

| #	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	1	1	0	0	1 m 0.865 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	verify user is able to add new Unit details record in the system by entering valid data	14	14	0	0	1 m 0.859 s

(F)- Check the functionality of the Project Ubit Details

PASSED	DURATION - 1 m 0.865 s	Scenarios		Steps	
/ 3:16:35.168 pm // 3:17:36.033 pm /		Total - 1		Total - 14	
		Pass - 1	1	Pass - 14	14
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- verify user is able to add new Unit details record in the system by entering valid data

PASSED	DURATION - 1 m 0.859 s		Steps	
/ 3:16:35.174 pm // 3:17:36.033 pm /			Total - 14	
Check the functionality of the Project Ubit Details			Pass - 14	14
@AT_PM_T023			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	24.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
	screenshot		
2	Then user change Application Type as Los	PASSED	3.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.391 s
4	When user click Config Manager menu	PASSED	0.410 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.499 s
5	And user click on project master List view icon	PASSED	0.592 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.857 s
6	And user click on List view Edit Icon	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.967 s
7	And user click on unit details Add icon and verify the functionality	PASSED	9.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.551 s

#	Step / Hook Details	Status	Duration
8	And Enter the value in Building Name and verify it	PASSED	0.556 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot 		
9	And Enter the value in Unit No and verify it	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot 		
10	And Enter the value in Floor and verify it	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot 		
11	And Enter the value in Saleable Area sq ft and verify it	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And Enter the value in Unit No and verify it	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
13	And Enter the value in Exposed No and verify it	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
14	And user save the Record in unit Details and verify the Message	PASSED	2.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Unit details record in the system by entering valid data

(F) Check the functionality of the Project Ubit Details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Unit details record in the system by entering valid data

(F) Check the functionality of the Project Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details