Cucumber Report

Start : Nov 16, 3:53:23.933 pm	**End : Nov 16, 3:53:59.520 pm**	**Duration : 35.587 s**
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 7
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 9

Features: 1

Scenarios: 1

Steps: 17

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 41 %

#	Feature Name	T	P	F	S	Duration
1	*Check the functionality of Living Expenses Master*	1	0	1	0	35.587 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living expense location record	17	7	1	9	35.578 s

(F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 35.587 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 3:53:23.933 pm // 3:53:59.520 pm /		Pass - 0		Pass - 7	
		Fail - 1	**1**	Fail - 1	**17**
		Skip - 0		Skip - 9	

(S)- Creation of Living expense location record

FAILED	DURATION - 35.578 s		Steps	
/ 3:53:23.942 pm // 3:53:59.520 pm /			Total - 17	
Check the functionality of Living Expenses Master			Pass - 7	**17**
@AT_LE_024			Fail - 1	
			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	18.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.576 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.449 s
	screenshot		
4	And user Goto the Temp view screen of living Expense	PASSED	0.610 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.721 s
	screenshot		
5	And click on Pencil icon of existing record	PASSED	1.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
6	And Navigate to Living expense location page	PASSED	2.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.844 s
	screenshot		
7	And Click on Add icon of Living expense parameter	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.644 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	And Select the value in Country field of Living expense parameter	FAILED	0.007 s

	java.lang.Error: Unresolved compilation problem: livingexpensedata cannot be resolved to a variable
	    at stepdefinitions.KULS_LivingExpense_Step.select_the_value_in_country_field_of_living_expense_parameter(KULS_LivingExpense_Step.java:255)
	    at ?.Select the value in Country field of Living expense parameter(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:637)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.477 s
	screenshot		
9	And Select the value in Province field of Living expense parameter	SKIPPED	0.000 s
10	And Enter the value in Area factor income of Living expense parameter	SKIPPED	0.000 s
11	And Enter the value in Area factor expenditure of Living expense parameter	SKIPPED	0.001 s
12	Then Click on Save button in Living expense parameter	SKIPPED	0.000 s
13	And Click on Mail icon for Living expense parameter	SKIPPED	0.000 s
14	And Search the respictive Living expense parameter record	SKIPPED	0.001 s
15	And Store the reference number and click on first Living expense parameter record	SKIPPED	0.000 s
16	Then Submit the Living expense parameter record from maker user	SKIPPED	0.000 s
17	And User Capture Checker id from the submit popup	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location
record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location
record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living expense location record

(F) Check the functionality of Living Expenses Master