Cucumber Report

| Start : Jun 12, 5:03:36.027 pm	End : Jun 12, 5:03:37.090 pm	Duration : 1.063 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 19

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	1.063 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the Customer Address Information Parameter details List view	19	0	0	19	1.047 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 1.063 s	Scenarios		Steps	
/ 5:03:36.027 pm // 5:03:37.090 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 19 Pass - 0 Fail - 0 Skip - 19	19

(S)- Verify the Customer Address Information Parameter details List view

FAILED	DURATION - 1.047 s		Steps	
/ 5:03:36.043 pm // 5:03:37.090 pm /			Total - 19	
Check the functionality of Customer Address Details screen			Pass - 0 Fail - 0 Skip - 19	19
@AT_CAD_010				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	0.952 s

	java.lang.IllegalStateException: The driver executable must exist:
	C:\Users\ININDC00071\git\Azentio_ULS_D\Devesh_AzentioULSFramework_ExcelTest\Drivers\chromedriver.exe
	   at org.openqa.selenium.internal.Require$FileStateChecker.isFile(Require.java:315)
	   at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:144)
	   at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:139)
	   at org.openqa.selenium.chrome.ChromeDriverService.access$000(ChromeDriverService.java:39)
	   at org.openqa.selenium.chrome.ChromeDriverService$Builder.findDefaultExecutable(ChromeDriverService.java:233)
	   at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.java:434)
	   at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:129)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	   at resources.BaseClass.initializeDriver(BaseClass.java:28)
	   at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	Given User launch the kuls application	SKIPPED	0.001 s
2	And User Login as maker for transaction screen	SKIPPED	0.001 s
3	Then select data set ID for customer address details testcase010	SKIPPED	0.001 s
4	Then user should click on the menu toggle	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	Then click on inbox to search for the Customer Address Details record	SKIPPED	0.001 s
6	Then click on search button to search the record of Customer Address Details	SKIPPED	0.000 s
7	Then enter the reference id of the Customer Address Details record	SKIPPED	0.000 s
8	Then click on the entitle button of the Customer Address Details record of that reference id	SKIPPED	0.001 s
9	Then click on the Additional customer info tab in Customer Personal Information screen	SKIPPED	0.000 s
10	Then select the Customer Address details record from the customer personal detail screen	SKIPPED	0.000 s
11	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	SKIPPED	0.000 s
12	Then Verify the values in List view should be non editable on List view of Customer Address details	SKIPPED	0.000 s
13	Then select the record of Address details from the customer identification screen	SKIPPED	0.000 s
14	Then Verify the functionality of Back button on List view of Customer Address details	SKIPPED	0.000 s
15	Then click on export to pdf button system should download Pdf file of Customer Address details	SKIPPED	0.001 s
16	Then click on export to excel button system should download Excel file of Customer Address details	SKIPPED	0.007 s
17	Then verify search box should display matching record with matched data of Customer Address details	SKIPPED	0.000 s
18	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.001 s
19	Then Verify the functionality of add button	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)	FAILED	0.003 s