Cucumber Report

| Start : Jul 23, 12:58:11.421 PM	End : Jul 23, 12:58:40.133 PM	Duration : 28.712 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	28.712 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	Product Master - to check the functionality of list view buttons of approved records	14	8	1	5	28.707 s

(F)- Check the functionality of product master

FAILED	DURATION - 28.712 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 12:58:11.421 PM // 12:58:40.133 PM /		Pass - 0	1	Pass - 8	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Product Master - to check the functionality of list view buttons of approved records

FAILED	DURATION - 28.707 s		Steps	
			Total - 14	
/ 12:58:11.426 PM // 12:58:40.133 PM /			Pass - 8	14
Check the functionality of product master			Fail - 1	
@M10			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		
2	And User Login as maker	PASSED	5.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then user should navigate to product master	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
4	And click on eye icon of product master	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
5	Then verify product master details list view fields should display all the fields	PASSED	1.569 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
6	Then values in list view should not be editable	PASSED	0.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify add button should allow to create new record	PASSED	1.550 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot 		
8	Then verify search box should display matching record with matched data	PASSED	4.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot 		
9	Then verify search box should not display any record with mismatched data	FAILED	0.276 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'Showing 0 to 0 of 0 entries')]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6528d600ddd426817df9b3031dd5f6b8, findElement {using=xpath, value=//span[contains(text(),'Showing 0 to 0 of 0 entries')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57855}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57855/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6528d600ddd426817df9b3031dd5f6b8
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_search_box_should_not_display_any_record_with_mismatched_data(ProductMaster_Retail.java:568) at ?.verify search box should not display any record with mismatched data(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:96) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.126 s
10	Then system should show product group and the field will display only	SKIPPED	0.001 s
11	Then system should show product code and the field will display only	SKIPPED	0.000 s
12	Then system should show product description and the field will display only	SKIPPED	0.001 s
13	Then system should show retail or corporate and the field will display only	SKIPPED	0.000 s
14	Then system should show status and the field will display only	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- **Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English | LOS | Azentio Software | Puneet 01-Sep-2023

Product Master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
✏ 👁	98303249	PR11	Loan	R	Active
✏ 👁	98303249	PR01	Loan	R	Active
✏ 👁	98303249	A	OK	R	Active
✏ 👁	98303249	A	OK	R	Active
✏ 👁	98303249	A	OK	R	Active

Showing 1 to 5 of 113 entries « ‹ 1 2 3 4 5 › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- **Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English | LOS | Azentio Software | Puneet 01-Sep-2023

Product Master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
✏ 👁	98303249	PR11	Loan	R	Active
✏ 👁	98303249	PR01	Loan	R	Active
✏ 👁	98303249	A	OK	R	Active
✏ 👁	98303249	A	OK	R	Active
✏ 👁	98303249	A	OK	R	Active

Showing 1 to 5 of 113 entries « ‹ 1 2 3 4 5 › » 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

Product Master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
✎ 👁	98303275	desc30		R	Active

Showing 1 to 1 of 1 entries

Sidebar Navigation

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- **Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English | LOS | Azentio Software

Puneet
01-Sep-2023

Export