Cucumber Report

| Start : Feb 14, 10:16:47.525 AM	End : Feb 14, 10:16:51.268 AM	Duration : 3.743 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 28

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	3.743 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	To verify user is able to add new Deposite account record in the system by entering valid data	28	0	0	28	3.736 s

(F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 3.743 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 10:16:47.525 AM // 10:16:51.268 AM /		Pass - 0	**1**	Pass - 0	**28**
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 28	

(S)- To verify user is able to add new Deposite account record in the system by entering valid data

FAILED	DURATION - 3.736 s		Steps	
/ 10:16:47.532 AM // 10:16:51.268 AM /			Total - 28	
To verify the functionality of Deposit Account master			Pass - 0	**28**
			Fail - 0	
@DepositMaster_M1_1_1c			Skip - 28	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	3.674 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.77 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.169', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.\<init\>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given Get the URL and login as maker	SKIPPED	0.000 s
2	And Click the configuration	SKIPPED	0.000 s
3	Then Click the config Manager	SKIPPED	0.000 s
4	And Click the eye icon of deposit master	SKIPPED	0.000 s
5	Then Choose the data set id for creation of deposit account master	SKIPPED	0.000 s
6	Then Click the Add button in the deposit master	SKIPPED	0.000 s
7	And Verify all the fields in deposit screen	SKIPPED	0.000 s
8	Then Select the Bank name in deposit master	SKIPPED	0.000 s
9	And Select the branch name in deposit master	SKIPPED	0.001 s
10	Then Choose the accounting type in deposit master	SKIPPED	0.001 s
11	And Enter the account number in depost master	SKIPPED	0.001 s
12	Then Choose the account currency in deposit master	SKIPPED	0.000 s
13	And Choose the payment account indicator	SKIPPED	0.000 s
14	Then Select the chart of account mapping type in deposit master	SKIPPED	0.000 s
15	And Select the account status	SKIPPED	0.001 s
16	Then Save the record in deposit master	SKIPPED	0.000 s
17	And Click the pencil icon in deposit master	SKIPPED	0.000 s
18	Then Click the branch maping	SKIPPED	0.001 s
19	And Verify the fields in branch mappinng	SKIPPED	0.001 s
20	Then Choose the availble collection	SKIPPED	0.001 s
21	And Map the available collection to selected	SKIPPED	0.000 s
22	Then save the record in branch mapping	SKIPPED	0.000 s
23	And Click the inbox in deposit master	SKIPPED	0.001 s
24	Then Search the record in serch field	SKIPPED	0.000 s
25	And Get the reference id and store it in json	SKIPPED	0.000 s
26	And Click the first action icon in deposit master	SKIPPED	0.000 s
27	Then Submit the record in deposit master	SKIPPED	0.000 s
28	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		