**Duration: 1 m 40.295 s** Start: Feb 21, 1:42:37.862 PM End: Feb 21, 1:44:18.157 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 15 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 22 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 68 % 100 100


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	1 m 40.295 s

SCENARIOS SUMMARY

-- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit	To verify user is able to add new Deposite account record in	22	15	1	6	1 m 40.288 s
	Account master	the system by entering valid data					

## (F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 1 m 40.295 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 1:42:37.862 P	M // 1:44:18.157 PM /	Pass - 0	1	Pass - 15	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## (S)- To verify user is able to add new Deposite account record in the system by entering valid data

• •																	_				
FAILED	DURATION - 1 m 40.288 s	30			1 1	- ;	-			-	-		-		-	-	-	Steps			
/ 1:42:37.869	PM // 1:44:18.157 PM /	20	╢╻					ı							- -			Total - 22			
To verify the fu	unctionality of Deposit Account	10		١				ı										Pass - 15		22	
master		10																Fail - 1			7
		0 -	-				_											Skip - 6	, <b>,</b>		
@DepositMas	ter_M1_1_1c	]		1 :	2 3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	22.761 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
	ASSETTS  AND IS IN		
2	And Click the configuration	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
	ASENTO  AND DE DE DE DESCRIPTION DE		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  4 And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  passed  7 PASSED  7 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  passed  7 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  passed  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master  PASSED  7 Then Click the Add button in the deposit master	#	Step / Hook Details	Status	Duration
screenshot  4 And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.972 s  Creenshot  PASSED  0.972 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.975 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s	3	Then Click the config Manager	PASSED	0.153 s
4 And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.972 s  Then Click the Add button in the deposit master  PASSED  O.972 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.955 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
4 And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.272 s  PASSED  0.972 s  4.71		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  29.017 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  29.017 s  PASSED  0.555 s				
screenshot  Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  29.017 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s	4	And Click the eye icon of deposit master	PASSED	0.166 s
5 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  29.017 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 s
Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  29.017 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  29.017 s  PASSED  0.555 s				
Screenshot  6 Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s	5	Then Choose the data set id for creation of deposit account master	PASSED	1.272 s
6 Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 29.017 s  O.555 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.972 s
6 Then Click the Add button in the deposit master PASSED 29.017 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.555 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.555 s				
	6	Then Click the Add button in the deposit master	PASSED	29.017 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.555 s
screenshot		screenshot		
		AND SECOND STATE OF THE PROPERTY OF THE PROPER		
7 And Verify all the fields in deposit screen PASSED 1.703 s	7	And Verify all the fields in deposit screen	PASSED	1.703 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	AZENTO  THE REPORT OF THE REPO		
8	Then Select the Bank name in deposit master	PASSED	1.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		
	ASSENCE  Sence S P NO		
9	And Select the branch name in deposit master	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
	AZSYTO    A SATE		
10	Then Choose the accounting type in deposit master	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
	ASSETTION  THE PROPERTY OF THE		
11	And Enter the account number in depost master	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		

AZENTO shorts of 年 知 例 例 章	
Comparison   Com	
Then Choose the account currency in deposit master  PASSED	0.332 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.298 s
screenshot	
ACSITIO  SECURITY  SECURIT	
13 And Choose the payment account indicator PASSED	0.304 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED	0.419 s
screenshot	
ACTIVITIES    Proposition   Pr	
14 Then Select the chart of account mapping type in deposit master PASSED	0.317 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.347 s
screenshot	
Accents  Invariant true  Invar	
15 And Select the account status PASSED	0.420 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.389 s
screenshot	


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	ACEVITO  THE ACEVI		
16	Then Save the record in deposit master	FAILED	30.841 s
	java.lang.AssertionError: expected [true] but found [false]   at org.testng.Assert.fail(Assert.java:99)   at org.testng.Assert.failNotEquals(Assert.java:1037)   at org.testng.Assert.assertTrue(Assert.java:45)   at org.testng.Assert.assertTrue(Assert.java:55)   at stepdefinitions.DepositAccountMaster.save_the_record_in_deposoit_master(DepositAccountMaster.java:252)   at ?.Save the record in deposit master(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/   features/DepositAccountMaster.feature:21)   * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		
	AZENIO  SIGNEDIO  SIGNEDIO		
17	And Click the inbox in deposit master	SKIPPED	0.000 s
18	Then Search the record in serch field	SKIPPED	0.001 s
19	And Get the reference id and store it in json	SKIPPED	0.000 s
20	And Click the first action icon in deposit master	SKIPPED	0.000 s
21	Then Submit the record in deposit master	SKIPPED	0.000 s
22	And User Logout from application	SKIPPED	0.001 s







EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

