

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	46.291 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living Expense Parameter record with invalid	12	12	0	0	46.285 s
	Expenses Master	data					

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 46.291 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 11:00:46.137 ar	m // 11:01:32.428 am /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expense Parameter record with invalid data



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	18.528 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.607 s
	screenshot		
	ASKITO THE STATE OF THE STATE		
2	Then user click on configurations Tab	PASSED	0.529 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		
	AZERTO Market D S (S) (S) (S) (S) (T) AZERTO Market D S (S) (S) (S) (S) (T) AZERTO Market D S (S) (S) (S) (S) (T) AZERTO Market D S (S) (S) (S) (S) (S) (S) (S) (S) (S) (


When user click Config Manager menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.221 s D.526 s PASSED O.635 s O.491 s	
4 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.635 s PASSED 0.491 s	PASSED 0.526 s
4 And user Goto the Temp view screen of living Expense PASSED 0.635 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.491 s	
4 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.635 s 0.491 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.491 s	
screenshot	PASSED 0.635 s
	PASSED 0.491 s
AZENTIO Name of F (M) (M) (M) (\$.	
5 And user click on First record in living Expense 2.422 s	PASSED 2.422 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.536 s	PASSED 0.536 s
screenshot	
A SENTIO	
6 And user click on Living Expenses Parameter PASSED 0.130 s	PASSED 0.130 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.002 s	PASSED 1.002 s
screenshot	
7 And user click on Add Icon for Living Expenses 2.283 s	PASSED 2.283 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.622 s	PASSED 1.622 s
screenshot	

# Step / Hook Details	Status	Duration
ATSITO Security States and State		
8 And user Pass the Exceldata value for ParaMeter Invalid	PASSED	0.107 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
screenshot		
ATSETO When and W. S. Sold Sold Sold Sold Sold Sold Sold Sold		
9 And user Enter Invalid value in Description and verify it	PASSED	0.735 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
screenshot		
Activity Activi		
10 And user save the Record in Living Expensess P.	PASSED	0.239 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
screenshot		
ATRITO TO AND SET OF S		
11 And Validate the Message and verify it	PASSED	0.057 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ALEXAND TO THE PROPERTY OF TH		
12	And user verify the Blank field in Living Expense	PASSED	0.029 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

