

Cucumber Report

Sep 22, 2022, 2:30:30 PM

Start : Sep 22, 2:29:59.282 PM

End : Sep 22, 2:30:29.339 PM

Duration : 30.057 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 12


FAILED - 1

SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	30.057 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	29	12	1	16	30.052 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 30.057 s	Scenarios		Steps	
/ 2:29:59.282 PM // 2:30:29.339 PM /		Total - 1	1	Total - 29	29
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	



(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields


<div>FAILED</div> <div>DURATION - 30.052 s</div>	<div></div>	<div>Steps</div> <div>Total - 29</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 2:29:59.287 PM // 2:30:29.339 PM /</div>			
<div>Check the functionality of Customer Address Details screen</div>			
<div>@AT_CAD_01</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.399 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.480 s
	screenshot		
			
2	And User Login as maker	PASSED	3.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Inbox Icon	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.034 s
	screenshot		
			
4	And user click search icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
5	And user Enter Customer Address details Application ID	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			
6	And user click on First record of Appdata Entry	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
7	And user click on Additional customer Info Tab	PASSED	1.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			
8	And user click on First Record Edit Icon	PASSED	0.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			
9	And user click on Address Information Add Icon	PASSED	6.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.549 s
	screenshot		
			
10	And user verify the Address Type field and Choose the value	PASSED	0.608 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
11	And user verify the Address status field and choose the value	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user verify the Residential status field and choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.061 s
		PASSED	0.116 s
13	And user verify the Address Line 1 field and Enter the Vaue org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-3-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-3" placeholder="" spellcheck="false" type="text"> is not clickable at point (391, 511). Other element would receive the click: <ion-radio class="sc-ion-select-popover-ios ios in-item interactive hydrated" aria-checked="false" aria-labelledby="ion-rb-10-lbl" role="radio" tabindex="-1"></ion-radio> (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [96c7987f66e6ff999b4ad23841fb1080, clickElement {id=70b5c836-c050-4d05-9072-1f53e4fee895}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53288}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53288/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (96c7987f66e6ff999b4ad23841fb1080)] -> xpath: //ion-label[text()=' Address Line 1']/parent::ion-item//input] Session ID: 96c7987f66e6ff999b4ad23841fb1080 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)	FAILED	1.180 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Customer_Address_Information. user_verify_the_address_line_1_field_and_enter_the_vaue(Customer_Address_Information.java:102) at ?.user verify the Address Line 1 field and Enter the Vaue(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/ AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:125) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.132 s
14	And user verify the Address Line 2 field and Enter the Vaue	SKIPPED	0.000 s
15	And user verify the country field and choose the value	SKIPPED	0.001 s
16	And user verify the District Name field and Enter the value	SKIPPED	0.000 s
17	And user verify the Zip code field and Enter the value	SKIPPED	0.000 s
18	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
19	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.000 s
20	And user verify the Duration of stay field and Enter the value	SKIPPED	0.000 s
21	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the Longitude details of the address field and Enter the Value	SKIPPED	0.000 s
23	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
24	And user verify the Occupancy date field and choose the date	SKIPPED	0.001 s
25	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
26	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
27	And user verify the Rent amount field and Enter the Value	SKIPPED	0.000 s
28	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.000 s
29	And user click the Save the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields







(F) Check the functionality of Customer
Address Details screen












(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)





(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen






AZENTIO
ONEBanking













Engl...







LOS










Aze...







Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	OFFERING	CREOFF	in02040	22-Sep-2022 14:22	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T






AZENTIO
ONEBanking













Engl...

LOS

Aze...



Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	OFFERING	CREOFF	in02040	22-Sep-2022 14:22	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Engl... LOS Aze...

Search: 506

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	OFFERING	CREOFF	in02040	22-Sep-2022 14:22	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Engl... LOS Aze...

Search: 506


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries << < 1 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen




(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen




Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			Ramya		Ramya	I	P	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type * Home

Residential Or Occupancy Status * Select

Address Line 1 *

Country * Select

Address Status * Previous

Province Id * Select

Select

Current

Previous

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type * Home

Residential Or Occupancy Status * Select

Address Status * Previous

Province Id * Select

Select

Commercial rent

Dormitory

Family owned

Address Line 2 *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Customer Address

Address Type *
Home

Residential Or Occupancy Status *
Select

Select
Commercial rent
Dormitory
Family owned

Address Status *
Previous

Communication Address
[Toggle Switch]

Address Line 2 *
[Text Input]

Province Id *
Select