


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	50.523 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Reject the record	29	19	1	9	50.520 s

DETAILED SECTION -- 4 --

(F)- Product Master Retail Functionality

FAILED	DURATION - 50.523 s	Scenarios		Steps	
		Total - 1		Total - 29	
/ 12:17:47.881 F	PM // 12:18:38.404 PM /	Pass - 0	1	Pass - 19	29
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

(S)- verify Checker user is able to Reject the record



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.928 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
	AZENTIO O		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		

AZENTIO 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 197 1	
Section 1.	
3 Then click on Product Setup PASSE	0.172 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.152 s
screenshot	
AZENTIO Company Compa	
4 Then click on Product Master eye icon PASSE	0.139 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.201 s
Screenshot Agentic	
5 Then click on Product Master add button PASSE	1.645 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.193 s
screenshot	
AZENTIO Superior of the control of	
6 Then verify functionality and asterik mark of the field Product Group PASSE	4.268 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.335 s
screenshot	

#	Step / Hook Details	Status	Duration
	AZENTIO Part Mil Order Mil Order		
7	Then Enter Product Code for reject	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.098 s
	AZENTIO DE DE SONO DE SONO DE DE DE SONO DE DE DE SONO DE DE DE SONO DE DE SONO DE DE SONO DE		
8	Then Enter Product Description	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### Temple	PASSED	0.126 s
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **TER_STEP - stepdefinitions.HooksClass.add	PASSED	0.123 s
10	Then verify the field Remarks	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		

#	Step / Hook Details	Status	Duration
	A ZENTIO National Control of C		
11	Then click on save button	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	AZENTIO Pattholium Patthol		
12	Then validate Success pop up	PASSED	5.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
	AZENTIO SI 1907 1907 1907 1907 1907 1907 1907 1907		
13	Then click on inbox	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
	ATENTO Base and the second of		
14	And open record for Approve	PASSED	2.196 s
1	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot	1	


Then submit the Record PASSED	9.538 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.125 s
screenshot	
16 Then user logout from the application PASSED	0.190 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.130 s
screenshot	
+	
17 And User Login as Checker PASSED	6.789 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.105 s
screenshot	
AZENTIO No. 1 Control of the control	
18 Then click on Menu PASSED	0.079 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.134 s

#	Step / Hook Details	Status	Duration
	PRINCE CALLS CONTROL OF THE PRINCE CALLS CALLS CONTROL OF THE PRINCE CALLS CONTROL OF THE PRINCE CALLS CONTROL OF THE PRINCE CALLS		
19	Then click on inbox	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
20	Then Open the record to reject it	FAILED	1.033 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "spath", "selector": "/span[contains(text(), 'null')]/.td/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga. selenium.chrome.ChromeDriver Command: [35f2a2415ef655b3c9e596bc420fc2e9, findelement {using=xpath, value=//span[contains(text(), rull')]/td/button} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8bad08, userDataDir: C:\Users\NNINDC~1NAppDataL}, goog:chromeOptions: {debuggerAddress: localhost:60877}, javascriptEnabled: true, networConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60877/devtoo, se:cdp/version: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 35f2a2415ef655b3c9e596bc420fc2e9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:130) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponse		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.open_the_record_to_reject_it(ProductMaster_Retail.java:490) at ?.Open the record to reject it(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ ProductMaster_Retail.feature:130) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.081 s
	screenshot		
21	Then reject the record	SKIPPED	0.000 s
22	Then user logout from the application	SKIPPED	0.000 s
23	Given User launch the kuls application	SKIPPED	0.001 s
24	And User Login as maker	SKIPPED	0.000 s
25	Then click on Product Setup	SKIPPED	0.000 s
26	Then click on Product Master eye icon	SKIPPED	0.000 s
27	Then click on search icon	SKIPPED	0.000 s
28	Then search Rejected record	SKIPPED	0.000 s
29	Then user logout from the application	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --




(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

