


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Document Details screen	1	0	1	0	27.321 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify system should allow user to do a modification with	14	12	1	1	27.315 s
	Document Details screen	valid data					

DETAILED SECTION

(F)- Check the functionality of Customer Document Details screen

FAILED	DURATION - 27.321 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 5:10:44.456 P	PM // 5:11:11.777 PM /	Pass - 0	1	Pass - 12	14
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Verify system should allow user to do a modification with valid data



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.642 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.467 s
	screenshot		
	AZENTIO COME		
2	And User Login as maker	PASSED	3.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.762 s
	screenshot		
	AZENTO O D D D D D D D D D D D D D D D D D D		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot	#	Step / Hook Details	Status	Duration
4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.070 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s PASSED 0.207 s 0.207 s 0.207 s 0.207 s 0.208 s 0.208 s 0.209 s 0.209 s 0.200 s	3	Then user should click on the menu toggle in login page	PASSED	0.453 s
Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.207 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.222 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.222 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.222 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions HooksClass addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.207 s O.700 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s		AMERICAN OF SE		
Screenshot	4	Then click on inbox to search for the Customer Document Details record	PASSED	0.214 s
Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) FASSED O.169 s PASSED O.207 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.169 s PASSED O.207 s O.70 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.165 s Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.222 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.222 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.207 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.070 s PASSED 0.165 s Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s				
Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s	5	Then click on search button to search the record of Customer Document Details in inbox	PASSED	0.169 s
Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s 0.222 s PASSED 0.222 s PASSED 0.202 s		## ATTENTO C C C C C C C C C		
7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s 0.202 s	6	Then enter the reference id of the Customer Document Details record	PASSED	0.070 s
7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s 0.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s 0.202 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s		## ACCUPATION ACC		
	7	Then click on the entitle button of the Customer Document Details record of that reference id	PASSED	0.222 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	ACCUPATION OF A STATE		
8	Then click on the Document Details tab	PASSED	1.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
	CENTRO O D P S (MA) (MA) (MA) (MA) (MA) (MA) (MA) (MA)		
9	Then open the record of Customer Document Details to modify	PASSED	2.785 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.668 s
	screenshot		
	ATTENTO OF A STATE OF		
10	Then verify system should allow user to do a modification of Customer Document Details record before approved	PASSED	2.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
	ASSETTO OF P S NOW		
11	Then verify system should allow user to do a modification with valid data	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	ALTERIOR OF THE PROPERTY OF TH		


#	Step / Hook Details	Status	Duration
12	Then verify system display the confirmation message post clicking on save button of Customer Employment Details record	PASSED	0.978 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
	Constitution of the state of th		
13	And verify the same record of Customer Document Details should get saved in a system	FAILED	1.233 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"methodh": "spath"; "selector": "//span[contains(ext(), 1907]///td[2]/span/button[1]"]. (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions//ino_such_element_Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7e54b021dbf62d93c80297024685dd17, findElement (using=xpath, value=//span[contains(ext(),1909]///td[2]/span/button[1]] [Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\Users\Univolume1Nonme: VindDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:59815/devtoo, se.cdp/version: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, we		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	screenshot		
	ADMINISTRATION OF THE PROPERTY		
14	Then verify the functionality of Back button of Customer Document Details record	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --



EXPANDED SECTION --- 13 --





EXPANDED SECTION -- 15 --

