Cucumber Report

| Start : Dec 01, 2:51:09.570 PM	End : Dec 01, 2:52:22.059 PM	Duration : 1 m 12.489 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 35

Features: 1

Scenarios: 1

Steps: 40

Pass %

Features: 0 %

Scenarios: 0 %

Steps: 10 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functionalities of beneficiary details	1	0	1	0	1 m 12.489 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionalities of beneficiary details	To verify maker user can able to update the beneficiary record before save	40	4	1	35	1 m 12.484 s

(F)- To verify the functionalities of beneficiary details

FAILED	DURATION - 1 m 12.489 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 2:51:09.570 PM // 2:52:22.059 PM /		Pass - 0	1	Pass - 4	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 35	

(S)- To verify maker user can able to update the beneficiary record before save

| FAILED	DURATION - 1 m 12.484 s		Steps	
/ 2:51:09.575 PM // 2:52:22.059 PM /			Total - 40	
To verify the functionalities of beneficiary details			Pass - 4	40
			Fail - 1	
@AT-BD-003			Skip - 35	

#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to Application details view list	PASSED	52.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.925 s
	screenshot		
2	Then choose the data set id to update the beneficiary detail record before save	PASSED	0.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Navigate to Mail box of Application details and search the DISBMKR value	PASSED	0.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
4	And search the disbursement maker record	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
5	And select the first record of disbursment maker stage	FAILED	10.208 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //tr[1]//td[text()=' DISBMKR ']/preceding-sibling::td[3]//button' (tried for 10 second(s) with 1000 milliseconds interval)
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)
	    at stepdefinitions.BeneficiaryDetails.select_the_first_record_of_disbursment_maker_stage(BeneficiaryDetails.java:544)
	    at ?.select the first record of disbursment maker stage(file:///C:/Users/inindc00073/git/ repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/BeneficiaryDetails.feature:69)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//tr[1]//td[text()=' DISBMKR ']/preceding-sibling::td[3]//button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2ca95bbb9517208e14177df3d24acd4e, findElement {using=xpath, value=//tr[1]//td[text()=' DISBMKR ']/preceding-sibling::td[3]//button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60268}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60268/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2ca95bbb9517208e14177df3d24acd4e
	    at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.BeneficiaryDetails.select_the_first_record_of_disbursment_maker_stage(BeneficiaryDetails.java:544)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
6	And go to beneficiary details tab	SKIPPED	0.000 s
7	And click on add button on beneficiary details screen	SKIPPED	0.000 s
8	Then To verify the field Application Id in beneficiary details	SKIPPED	0.000 s
9	And To verify the field Beneficiary Name in beneficiary details	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	Then To verify the field Beneficiary Type in beneficiary details	SKIPPED	0.000 s
11	And To verify the field Beneficiary KYC in beneficiary details	SKIPPED	0.000 s
12	Then To verify the field Beneficiary address in beneficiary details	SKIPPED	0.000 s
13	And To verify the field Account Type in beneficiary details	SKIPPED	0.000 s
14	Then To verify the field IBAN Account Number in beneficiary details	SKIPPED	0.000 s
15	And To verify the field MICR Type in beneficiary details	SKIPPED	0.000 s
16	Then To verify the field Beneficiary MICR code in beneficiary details	SKIPPED	0.000 s
17	And To verify the field Bank code in beneficiary details	SKIPPED	0.000 s
18	Then To verify the field Branch Name in beneficiary details	SKIPPED	0.000 s
19	And To verify the field IFSC code in beneficiary details	SKIPPED	0.000 s
20	Then To verify the field Payment Type in beneficiary details	SKIPPED	0.000 s
21	And To verify the field Payment Mode in beneficiary details	SKIPPED	0.000 s
22	Then To verify the field Beneficiary email in beneficiary details	SKIPPED	0.000 s
23	And To verify the field remark in beneficiary details	SKIPPED	0.000 s
24	Then verify user can able to update the facility application ID field	SKIPPED	0.000 s
25	Then verify user can able to update beneficiary name field	SKIPPED	0.000 s
26	Then verify user can able to update beneficiary type field	SKIPPED	0.000 s
27	Then verify user can able to update beneficiary KYC field	SKIPPED	0.000 s
28	Then verify user can able to update the beneficiary address field	SKIPPED	0.000 s
29	Then verify user can able to update the account type field	SKIPPED	0.000 s
30	Then verify user can able to update the IBAN account no field	SKIPPED	0.000 s
31	Then verify user can able to update the MICR Type field	SKIPPED	0.000 s
32	Then verify user can able to update the beneficiary MICR Code field	SKIPPED	0.000 s
33	Then verify user can able to update the Bank code field	SKIPPED	0.000 s
34	Then verify user can able to update the branch name field	SKIPPED	0.001 s
35	Then verify user can able to update the IFSC Code	SKIPPED	0.000 s
36	Then verify user can able to update the payment type field	SKIPPED	0.000 s
37	Then verify user can able to update the payment mode field	SKIPPED	0.000 s
38	Then verify user can able to update the beneficiary email field	SKIPPED	0.000 s
39	Then verify user can able to update the remarks field	SKIPPED	0.000 s
40	And click on save button to save the updated beneficiary details record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker user can able to update the beneficiary record before save

(F) To verify the functionalities of beneficiary details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker user can able to update the beneficiary record before save

(F) To verify the functionalities of beneficiary details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to update the beneficiary record before save

(F) To verify the functionalities of beneficiary details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to update the beneficiary record before save

(F) To verify the functionalities of beneficiary details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker user can able to update the beneficiary record before save

(F) To verify the functionalities of beneficiary details

AZENTIO
ONEBanking

11-Jan-2024

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Transactions

　Application manager

　Customer details

　Customer details islamic

　Customer identification details

　Customer address details

　Application Details

　Facility Details

　Customer employment

　Income

　Customer debt

　Repayment Details

Reports

Inbox

DISBMKRDISBMKR

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
↻										

Showing 0 to 0 of 0 entries   10