

Cucumber Report

Sep 22, 2022, 7:33:46 PM

Start : Sep 22, 7:32:14.949 PM

End : Sep 22, 7:33:40.848 PM

Duration : 1 m 25.899 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	1 m 25.899 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the Customer Address Information Parameter details List view	18	1	1	16	1 m 25.892 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 1 m 25.899 s	Scenarios		Steps	
/ 7:32:14.949 PM // 7:33:40.848 PM /		Total - 1		Total - 18	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Verify the Customer Address Information Parameter details List view

<div>FAILED</div> <div>DURATION - 1 m 25.892 s</div>			Steps		
/ 7:32:14.956 PM // 7:33:40.848 PM /			Total - 18		
Check the functionality of Customer Address Details screen			Pass - 1		
@AT_CAD_010			Fail - 1		
			Skip - 16		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.481 s
	screenshot		
			
2	And User Login as maker	FAILED	1 m 10.048 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b6e8035b453a29b8003c22d33a8c723, findElement {using=xpath, value=//ion-input[@ng-reflect-name='username']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:65243}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:65243/devtoo..., se.cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts:		

#	Step / Hook Details	Status	Duration
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8b6e8035b453a29b8003c22d33a8c723 at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103) at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:53) at stepdefinitions.KULS_Login.user_login_as_maker(KULS_Login.java:36) at ?.User Login as maker(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:92) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b6e8035b453a29b8003c22d33a8c723, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L ..}, goog:chromeOptions: {debuggerAddress: localhost:65243}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65243/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8b6e8035b453a29b8003c22d33a8c723</pre>	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	atjdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) atorg.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) atstepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
3	Then user should click on the menu toggle	SKIPPED	0.001 s
4	Then click on inbox to search for the Customer Address Details record	SKIPPED	0.000 s
5	Then click on search button to search the record of Customer Address Details	SKIPPED	0.001 s
6	Then enter the reference id of the Customer Address Details record	SKIPPED	0.000 s
7	Then click on the entitle button of the Customer Address Details record of that reference id	SKIPPED	0.000 s
8	Then click on the Additional customer info tab in Customer Personal Information screen	SKIPPED	0.001 s
9	Then select the Customer Address details record from the customer personal detail screen	SKIPPED	0.000 s
10	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	SKIPPED	0.001 s
11	Then Verify the values in List view should be non editable on List view of Customer Address details	SKIPPED	0.000 s
12	Then select the record of Address details from the customer identification screen	SKIPPED	0.000 s
13	Then Verify the functionality of Back button on List view of Customer Address details	SKIPPED	0.000 s
14	Then click on export to pdf button system should download Pdf file of Customer Address details	SKIPPED	0.000 s
15	Then click on export to excel button system should download Excel file of Customer Address details	SKIPPED	0.000 s
16	Then verify search box should display matching record with matched data of Customer Address details	SKIPPED	0.000 s
17	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.001 s
18	Then Verify the functionality of add button	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.663 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b6e8035b453a29b8003c22d33a8c723, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\lININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:65243}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		

#	Step / Hook Details	Status	Duration
	<p>Proxy(), se:cdp: ws://localhost:65243/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8b6e8035b453a29b8003c22d33a8c723</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

