Cucumber Report

09-Nov-2022, 12:07:12 pm

Start : Nov 09, 12:06:14.650 pm	End : Nov 09, 12:07:07.594 pm	Duration : 52.944 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 10 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	52.944 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses record with invalid data	10	10	0	0	52.935 s

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 52.944 s	Scenarios		Steps	
/ 12:06:14.650 pm // 12:07:07.594 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 10 Pass - 10 Fail - 0 Skip - 0	

(S)- Creation of Living Expenses record with invalid data

PASSED	DURATION - 52.935 s		Steps	
/ 12:06:14.659 pm // 12:07:07.594 pm /			Total - 10 Pass - 10 Fail - 0 Skip - 0	
Check the functionality of Living Expenses Master				
@AT_LE_005_Validation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	27.820 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.722 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.937 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.523 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		
			
4	And user click on List view Icon of Living Expenses	PASSED	0.985 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.728 s
	screenshot		
			
5	And user click on Add Icon for Living Expenses	PASSED	4.832 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.551 s
	screenshot		
			
6	And user save the Record in Living Expensess	PASSED	2.717 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
			
7	And user Pass the Exceldata value for Invalid	PASSED	0.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user verify the Blank field in Living Expense	PASSED	0.046 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
			
9	And user Enter Invalid value in Description2 and verify it	PASSED	0.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
10	And Validate the Message and verify it	PASSED	0.054 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master