Cucumber Report

| Start : Oct 18, 5:58:35.300 pm	End : Oct 18, 6:00:09.133 pm	Duration : 1 m 33.833 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 4

Features: 1

Scenarios: 1

Steps: 12

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 58 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	1	0	1	0	1 m 33.833 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	verify user is able to add new Unit details record in the system by entering valid data	12	7	1	4	1 m 33.827 s

(F)- Check the functionality of the Project Ubit Details

FAILED	DURATION - 1 m 33.833 s	Scenarios		Steps	
/ 5:58:35.300 pm // 6:00:09.133 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 12 Pass - 7 Fail - 1 Skip - 4	12

(S)- verify user is able to add new Unit details record in the system by entering valid data

FAILED	DURATION - 1 m 33.827 s		Steps	
/ 5:58:35.306 pm // 6:00:09.133 pm /			Total - 12 Pass - 7 Fail - 1 Skip - 4	12
Check the functionality of the Project Ubit Details				
@AT_PM_T023				

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	29.589 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.306 s
	screenshot 		
2	Then user click on configurations Tab	PASSED	0.462 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	And user click on project master List view icon	PASSED	37.519 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.754 s
	screenshot		
4	And user click on List view Edit Icon	PASSED	0.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.497 s
	screenshot		
5	And user click on unit details Add icon and verify the functionality	PASSED	3.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.581 s
	screenshot		
6	And Enter the value in Building Name and verify it	PASSED	0.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
7	And Enter the value in Unit No and verify it	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Enter the value in Floor and verify it	FAILED	0.146 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:88)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	   at stepdefinitions.ProjectMaster_UnitDetails.enter_the_value_in_floor_and_verify_it(ProjectMaster_UnitDetails.java:192)
	   at ?.Enter the value in Floor and verify it(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_ProjectMaster_UnitDetaill.feature:54)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
9	And Enter the value in Saleable Area sq ft and verify it	SKIPPED	0.000 s
10	And Enter the value in Unit No and verify it	SKIPPED	0.000 s
11	And Enter the value in Exposed No and verify it	SKIPPED	0.000 s
12	And user save the Record in unit Details and verify the Message	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Unit details record in the system by entering valid data

(F) Check the functionality of the Project Ubit Details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Unit details record in the system by entering valid data

(F) Check the functionality of the Project Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new Unit
details record in the system by entering
valid data

(F) Check the functionality of the Project
Ubit Details