Cucumber Report

| *Start : Feb 09, 5:03:58.932 PM*	*End : Feb 09, 5:05:50.702 PM*	*Duration : 1 m 51.770 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 11

Features

1

Pass %: 0 %

Scenarios

1

Pass %: 0 %

Steps

20

Pass %: 40 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	1 m 51.770 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	To verify user is able to add new Deposite account record in the system by entering valid data	20	8	1	11	1 m 51.763 s

(F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 1 m 51.770 s	Scenarios		Steps	
/ 5:03:58.932 PM // 5:05:50.702 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 20 Pass - 8 Fail - 1 Skip - 11	20

(S)- To verify user is able to add new Deposite account record in the system by entering valid data

FAILED	DURATION - 1 m 51.763 s		Steps	
/ 5:03:58.939 PM // 5:05:50.702 PM /			Total - 20	20
To verify the functionality of Deposit Account master			Pass - 8 Fail - 1 Skip - 11	
@DepositMaster_M1_4				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	30.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
2	And Click the configuration	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.425 s
4	And Click the eye icon of deposit master	PASSED	0.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.561 s
5	Then Click the Add button in the deposit master	PASSED	0.577 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.878 s
6	Then choose the data set id for checker reject	PASSED	0.632 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.343 s
7	Then Select the Bank name in deposit master	PASSED	1.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.529 s

#	Step / Hook Details	Status	Duration
8	And Select the branch name in deposit master	PASSED	55.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
9	Then Choose the accounting type in deposit master	FAILED	1.177 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-orh-c177="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Account Type *">...</ion-select> is not clickable at point (673, 277). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20004; --width:802.016px;">...</ion-popover> (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [388d5def54b34e63e29f1f5bdddeab95, clickElement {id=de3a0c69-c805-4daa-a54e-fb30b842c60c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56960}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56960/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (388d5def54b34e63e29f1f5bdddeab95)] -> xpath: //ion-select[@aria-label='Select, Account Type *']] Session ID: 388d5def54b34e63e29f1f5bdddeab95
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.DepositAccountMaster.choose_the_accounting_type_in_deposit_master(DepositAccountMaster.java:144) at ?.Choose the accounting type in deposit master(file:///C:/Users/ININDC00073/git/Azentio_ULS/ Kamala_Priya_AzentioULSFramework3/src/test/java/features/DepositAccountMaster.feature:67) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.279 s
10	And Enter the account number in depost master	SKIPPED	0.001 s
11	Then Choose the account currency in deposit master	SKIPPED	0.000 s
12	And Choose the payment account indicator	SKIPPED	0.000 s
13	Then Select the chart of account mapping type in deposit master	SKIPPED	0.000 s
14	And Select the account status	SKIPPED	0.000 s
15	Then Save the record in deposit master	SKIPPED	0.000 s
16	And Click the inbox in deposit master	SKIPPED	0.000 s
17	Then Search the record in serch field	SKIPPED	0.000 s
18	And Get the reference id and store it in excel for checker reject in deposit account master	SKIPPED	0.000 s
19	And Click the first action icon in deposit master	SKIPPED	0.000 s
20	Then Submit the record in deposit master for checker reject	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master