


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details	1	0	1	0	47.960 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	21	14	1	6	47.957 s
	Address Details	details and clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check the functionality of Customer Address Details

FAILED	DURATION - 47.960 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 1:45:25.480 A	M // 1:46:13.440 AM /	Pass - 0	1	Pass - 14	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- verify the functionality of save button post entering all valid details and clicking on save button

FAILED DURATION - 47.957 s				1	1								-				-	Steps	
1:45:25.483 AM // 1:46:13.440 AM /	10	-		÷ - ·	-		-		-			-		ł		- ‡ -	-	Total - 21	
Check the functionality of Customer Address	5	╢╻			-		-		-			-		ł		-	-	Pass - 14	21
Details	0			ı.	<u> </u>			_							_	_		Skip - 6	
@AT_CAD_002			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.496 s
	screenshot		
	AZENTIO Hillians 1		
2	And User Login as maker	PASSED	5.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		

ASSETTED OF THE PROPERTY OF T	
3 Then click on inbox PASSED	0.185 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.155 s
screenshot	
ACCUPATION If the P II the Control of the P II the Co	
4 Then click on inbox search icon PASSED	0.190 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.142 s
Screenshot Screenshot Significant State	
5 Then search Customer Address Details record PASSED	0.109 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot I THE STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	0.109 s
6 And maker user open the record from inbox PASSED	1.138 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.118 s
screenshot	


Step / Hook Details	Status	Duration
ACTIVITY OF OF PRINCIPLE AND ADDRESS OF THE		
Then click on Additional customer info Segment button	PASSED	1.162 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
screenshot		
ACTIVITY OF STATE OF		
Then click on Action button of Customer Personal Information	PASSED	0.284 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.459 s
ALACTION CONTRIBUTION CONTRI		
Then from customer identification screen click on add button of Address details	PASSED	0.233 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.518 s
Then select Address Type	PASSED	1.318 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
screenshot]	
	Then click on Additional customer info Segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on Action button of Customer Personal Information AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then from customer identification screen click on add button of Address details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then select Address Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	Then click on Additional customer into Segment button AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on Action button of Customer Personal Information AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then from customer identification screen click on add button of Address details AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then select Address Type AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED PASSED PASSED

#	Step / Hook Details	Status	Duration
	### ADMITTALE		
11	Then select Address Status	PASSED	1.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
	Company Comp		
12	Then select Residential or Occupancy Status	PASSED	13.935 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
	Comment of the commen		
13	Then Enter Address Line1	PASSED	0.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	screenshot		
	TOTAL OF THE PARTY		
14	Then Enter Address Line2	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	screenshot		


#	Step / Hook Details	Status	Duration
	TO SECULD OF SECUED OF SECULD OF SECUED OF SEC		
15	Then select Country	FAILED	10.871 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (49d4cc9983cb7fbd1f579a1f9a9d6c34)] -> xpath: //ion-label[contains(text(),'INDIA')]//ion-radio] (tried for 10 second(s) with 1000 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_AddressDetails.select_country(Customer_AddressDetails.java:134) at ?.select Country(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Customer_AddressDetails.feature:20) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
	TO THE PROPERTY OF THE PROPERT		
16	Then select Province ID	SKIPPED	0.000 s
17	Then Enter Neighbourhood District Name	SKIPPED	0.000 s
18	Then select City ID	SKIPPED	0.000 s
19	Then Enter Zip Code	SKIPPED	0.000 s
20	Then Enter Mobile Number primary	SKIPPED	0.000 s
21	Then Enter Occupancy Date	SKIPPED	0.000 s




-- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

