

Cucumber Report

Jul 26, 2022, 11:22:03 AM

Start : Jul 26, 11:21:33.718 AM

End : Jul 26, 11:22:02.674 AM

Duration : 28.956 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 21
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	28.956 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Master Retail Functionality</u>	<u>System should not allow user to save the records with invalid data</u>	21	21	0	0	28.952 s

(F)- Product Master Retail Functionality

PASSED	DURATION - 28.956 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 21 Pass - 21 Fail - 0 Skip - 0	
/ 11:21:33.718 AM // 11:22:02.674 AM /					

(S)- System should not allow user to save the records with invalid data


<div>PASSED</div> <div>DURATION - 28.952 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 21</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:21:33.722 AM // 11:22:02.674 AM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.645 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
			
9	Then verify the field Remarks	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
10	Then click on save button	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then validate the impact of any mandatory field blank	PASSED	0.052 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
			
13	Then click on Product Master add button	PASSED	1.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
			
14	Then verify functionality and asterik mark of the field Product Group	PASSED	2.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then verify functionality and asterik mark of the field Product Code	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
16	Then Enter Product Description	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	screenshot		
			
17	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
18	Then verify the field Remarks with special characters value	PASSED	1.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Then click on save button	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
20	Then validate the impact of special characters value in any field	PASSED	0.043 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
			
21	Then user logout from the application	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top bar with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below this is the 'Product Master' title and a table. The table has columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. It contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 130 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR16	Loan	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top bar with the same navigation and user profile. Below this is the 'Product Master' title and a form. The form has fields for Product Group (Lending), Product Code (empty), Product Description (Select), Retail/Corporate (Select), and Remarks (empty). A dropdown menu is open for Product Description, showing options: Deposits, Lending (selected), Trade, and Treasury.

Product Group *
Lending

Product Code *
[Empty]

Product Description *
Select


Retail/Corporate *
Select

Remarks
[Empty]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'PR19', 'Product Description' with a text input field and a plus icon, 'DM Code' with a text input field, and 'Remarks' with a large text area. There are also dropdown menus for 'Retail/Corporate' and 'Select'. The form is styled with a clean, modern design using blue and gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'PR19', 'Product Description' with a text input field and a plus icon, 'DM Code' with a text input field, and 'Remarks' with a large text area. There are also dropdown menus for 'Retail/Corporate' and 'Select'. The 'Retail/Corporate' dropdown menu is open, showing options: 'Select', 'Corporate', and 'Retail' (which is selected and has a checkmark). The form is styled with a clean, modern design using blue and gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. At the top, there is a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, the form contains several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR19'; 'Product Description' with a text input field and a plus icon; 'Retail/Corporate' with a dropdown menu showing 'Retail'; 'DM Code' with a text input field; and 'Remarks' with a text input field containing 'HomeLoan'. The form is styled with a clean, modern design using blue and white colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. At the top, there is a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, the form contains several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR19'; 'Product Description' with a text input field and a plus icon; 'Retail/Corporate' with a dropdown menu showing 'Retail'; 'DM Code' with a text input field; and 'Remarks' with a text input field containing 'HomeLoan'. The form is styled with a clean, modern design using blue and white colors. A 'Required field' label is visible next to the Product Description field.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. At the top, there's a header with a back arrow, the title 'Product Master', and a save icon. Below this is a sub-header 'Product Master'. The form contains several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR19'; 'Product Description' with a text input field and a 'Required field' error message; 'Retail/Corporate' with a dropdown menu showing 'Retail'; 'DM Code' with a text input field; and 'Remarks' with a text area containing 'HomeLoan'. At the bottom, there's a blue button with the text 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. At the top, there's a header with a back arrow, the title 'Product Master', and a save icon. Below this is a sub-header 'Product Master'. The form contains several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR19'; 'Product Description' with a text input field and a 'Required field' error message; 'Retail/Corporate' with a dropdown menu showing 'Retail'; 'DM Code' with a text input field; and 'Remarks' with a text area containing 'HomeLoan'. At the bottom, there's a blue button with the text 'Please fill all the details'.

The screenshot displays the Azenzio mobile application interface. At the top, the Azenzio logo is visible, consisting of an orange stylized 'A' icon followed by the word 'AZENTIO' in white capital letters on a dark blue background. Below the header is a white navigation bar with three icons: a red square with a white wrench and screwdriver, a blue square with a white gear, and a white square with a blue document icon. The main content area has a dark blue background and lists several configuration options, each preceded by a white circular icon with a dot. The options are: 'Asset Collateral Config', 'Business Rules', 'Corporate Masters', 'Misc Config', 'Other Masters', 'Product Definitions', 'Product Setup', 'Asset Auto Master', 'Asset CD Master', 'Product master', 'Sub Product Master', 'Regulatory Product Defini...', 'Project Setup', and 'Config Manager'. The 'Product master' option is highlighted with an orange background. To the right of each text label are two icons: a blue square with a white document icon and a white square with a blue eye icon.

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

Product Master

+

Q

Export ▾

Action	Product Group ▴▾	Product Code ▴▾	Product Description ▴▾	Retail/Corporate ▴▾	Status ▴▾
<div><div></div><div></div></div>	98303249	PR19	Loan	R	Active
<div><div></div><div></div></div>	98303249	PR19	Loan	R	Active
<div><div></div><div></div></div>	98303249	PR19	Loan	R	Active
<div><div></div><div></div></div>	98303249	PR19	Loan	R	Active
<div><div></div><div></div></div>	98303249	PR16	Loan	R	Active

↺

Showing 1 to 5 of 130 entries

<<

<

1

2

3

4

5

>

>>

5 ▾

Please fill all the details

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Description *

Select

Deposits

Lending

Trade

Treasury

Product Code *

Retail/Corporate *

Select

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

☰

English ▼

LOS ▼

Azentio Software ▼

Puneet
01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▼

Product Code *

PR19

Product Description *

Retail/Corporate *

Select ▼

DM Code

Remarks

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

<

Product Master

Product Master

Product Group *
Lending

Product Description *
Loan

DM Code

Remarks


Product Code *
PR19

Retail/Corporate *
Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR19'), 'Product Description' (text input with 'Loan'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Remarks' (text input). There is a 'Select' button next to the 'Retail/Corporate' dropdown. The form is styled with a clean, modern design using blue and white colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR19'), 'Product Description' (text input with 'Loan'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Remarks' (text input). The 'Remarks' field contains the text '@#\$%'. Below the 'Remarks' field, there is a blue banner that reads 'Alphanumeric characters allowed'. The form is styled with a clean, modern design using blue and white colors.

(F) Product Master Retail Functionality

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

@#\$\$&

Alphanumeric characters allowed

Product Code *

PR19

Retail/Corporate *

Retail ▾

Please fill all the details

(F) Product Master Retail Functionality

English ▼LOS ▼Azentio Software ▼

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending

▼

Product Description *

Loan

DM Code

Product Code *

PR19

Retail/Corporate *

Retail

▼

Remarks

@#\$\$&

Alphanumeric characters allowed

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

