

Cucumber Report

17-Nov-2022, 4:29:48 pm

Start : Nov 17, 4:28:42.001 pm

End : Nov 17, 4:29:42.931 pm

Duration : 1 m 0.930 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	1 m 0.930 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses Location record with invalid data	12	10	1	1	1 m 0.922 s


(F)- Check the functionality of Living Expenses Master





FAILED	DURATION - 1 m 0.930 s	Scenarios		Steps	
/ 4:28:42.001 pm // 4:29:42.931 pm /		Total - 1		Total - 12	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


(S)- Creation of Living Expenses Location record with invalid data

<div>FAILED</div> <div>DURATION - 1 m 0.922 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 4:28:42.009 pm // 4:29:42.931 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_028_Validation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	25.747 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.935 s
	screenshot		
			
2	Then user change Application Type as Los	PASSED	3.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.553 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.700 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.519 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
			
5	And user Goto the Temp view screen of living Expense	PASSED	1.848 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.420 s
	screenshot		
			
6	And click on Pencil icon of existing record	PASSED	1.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.604 s
	screenshot		
			
7	And Navigate to Living expense location page	PASSED	0.408 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And Click on Add icon of Living expense parameter	PASSED	2.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.622 s
	screenshot		
			
9	And user save the Record in Living Expensess	PASSED	1.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.517 s
	screenshot		
			
10	And user Pass the Exceldata value for Living Expense Loccation Invalid	PASSED	0.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			
11	And user verify the Blank field in Living Expense	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-badge[contains(text(),'null')])[1]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a20258f18a6c9030612f27375a18bb3e, findElement {using=xpath, value=(//ion-badge[contains(text(),'null')])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60816},		

#	Step / Hook Details	Status	Duration
	<p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60816/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a20258f18a6c9030612f27375a18bb3e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.LivingExpense_Master.user_verify_the_blank_field_in_living_expense(LivingExpense_Master.java:777) at ?.user verify the Blank field in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:762) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	<p>screenshot</p> 		
12	And Enter the Invalid value in Area factor income of Living expense parameter	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data


(F) Check the functionality of Living
Expenses Master





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expenses Location record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expenses Location record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

17-Nov-2022

Search the menu

List of Living Expense Model

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active
	desc22	98303335	2022-11-16	Active
	Aanchal	98303335	2022-11-15	Active
	desc23	98303257	2022-11-14	Active
	desc11	98303257	2022-11-15	Active

Showing 1 to 5 of 33 entries

1 2 3 4 5

Export

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

17-Nov-2022

Search the menu

List of Living Expense Model

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active
	desc22	98303335	2022-11-16	Active
	Aanchal	98303335	2022-11-15	Active
	desc23	98303257	2022-11-14	Active
	desc11	98303257	2022-11-15	Active

Showing 1 to 5 of 33 entries


<< < 1 2 3 4 5 > >>

Export

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONE Banking

17-Nov-2022

Living Expense Location

Living Expense Location

Country *
Select
Required field

Province *
Select
Required field

Area Factor Income *
Required field

Area Factor Expenditure *
Required field

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONE Banking

17-Nov-2022

Living Expense Location

Living Expense Location

Country *
Select
Required field

Province *
Select
Required field

Area Factor Income *
Required field

Area Factor Expenditure *
Required field

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

Living Expense Definition

Living Expense Parameter

Living Expense Location

Living Expense Location

Country ^{*}
Select
Required field

Province ^{*}
Select
Required field

Area Factor Expenditure ^{*}
Required field

Area Factor Income ^{*}
Required field

Please fill all the details