

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Login Functionality of kuls	1	1	0	0	16.026 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality of kuls	Login KULS with valid credentials	2	2	0	0	16.022 s

DETAILED SECTION -- 4 --

(F)- Login Functionality of kuls

PASSED	DURATION - 16.026 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 1:49:38.450 PM	1 // 1:49:54.476 PM /	Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Login KULS with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
	AZENTIO O SAN MA CANAMA B & DOCAL +		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration

EXPANDED SECTION -- 6 -

