

# Cucumber Report

29-Nov-2022, 3:33:40 pm

Start : Nov 29, 3:31:45.865 pm

End : Nov 29, 3:33:32.454 pm

Duration : 1 m 46.589 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 16  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To test the property details tab</u>	1	0	1	0	1 m 46.589 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the property details tab</u>	<u>verify system allow user to do a modification on already saved record</u>	17	16	1	0	1 m 46.580 s




**(F)- To test the property details tab**

<b>FAILED</b>	<b>DURATION - 1 m 46.589 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 17 Pass - 16 Fail - 1 Skip - 0	
/ 3:31:45.865 pm // 3:33:32.454 pm /					




**(S)- verify system allow user to do a modification on already saved record**



<b>FAILED</b>	<b>DURATION - 1 m 46.580 s</b>		Steps Total - 17 Pass - 16 Fail - 1 Skip - 0	
/ 3:31:45.874 pm // 3:33:32.454 pm /				
To test the property details tab				
@AT_PD_004				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	1 m 1.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.868 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	1.570 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.727 s
	screenshot		
			
4	And user search Appdata Entry	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
			
6	And user choose Property Details Tab	PASSED	2.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.275 s
	screenshot		
			
7	And user click First Record Edit Icon	PASSED	1.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.636 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user update the Excelsheet testdata for modification	PASSED	0.023 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.163 s
	screenshot		
			
9	And user Modify the Security Type	PASSED	1.872 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		
			
10	And user Modify the Property City	PASSED	1.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
			
11	And user Modify the Property Type	PASSED	2.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user Modify the Apf Status	PASSED	1.633 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
	screenshot		
			
13	And user Modify the Construction Status	PASSED	1.443 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
			
14	And user Modify the Property Category	PASSED	1.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
			
15	And user Modify the Nature of Property	PASSED	1.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user Modify the Occupancy Status	PASSED	1.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.709 s
	screenshot		
			
17	And user click the update the button	FAILED	1.407 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;button _ngcontent-pjr-c612="" pbutton="" type="button" icon="pi pi-save" iconpos="left" tooltipposition="top" class="p-element savecmnbtn p-button-info p-button-sm p-button-raised w-90 k-mx-2 p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-save" ng-reflect-icon-pos="left" ng-reflect-tooltip-position="top" ng-reflect-text="Update"&gt;...&lt;/button&gt; is not clickable at point (1856, 96). Other element would receive the click: &lt;ion-button _ngcontent-pjr-c616="" ptooltip="Pin Tab" tooltipposition="bottom" class="p-element ios button button-clear in-toolbar button-has-icon-only ion-activatable ion-focusable hydrated" ng-reflect-text="Pin Tab" ng-reflect-tooltip-position="bottom"&gt;...&lt;/ion-button&gt; (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c7c624ef9f309f50dbcd00679e4eebdc, clickElement {id=07b2d129-0902-424c-b483-95732aba50a5}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60479}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60479/devtoo..., se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c7c624ef9f309f50dbcd00679e4eebdc)] -&gt; xpath: //button[@ng-reflect-text='Update']] Session ID: c7c624ef9f309f50dbcd00679e4eebdc</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_click_the_update_the_button(PersonalDetails_AppDataEntry.java:1166) at ?.user click the update the button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ ULS_Property_Details.feature:266) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
			

⋮

AZENTIO

ONE Banking

🔍 Search the menu

🏠 Dashboard

⚙️ Configurations

🔗 Transactions

🕒 Reports

09-Jan-2024

📧

🏠

Engl...

LOS

Aze...

👤

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🔍

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

AZENTIO™  
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

Action

Showing 0 to 0 of 0 entries

10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot shows the AZENTIO ONE Banking application interface. The top navigation bar includes the date '09-Jan-2024', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is on the right. The left sidebar contains a search bar and a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Inbox' and shows 'Action' with a search bar. Below the search bar, it says 'Showing 0 to 0 of 0 entries' with navigation arrows and a '10' dropdown.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot shows the AZENTIO ONE Banking application interface with a list of transactions in the 'Inbox'. The top navigation bar is the same as the previous screenshot. The left sidebar is also the same. The main content area is titled 'Inbox' and shows a search bar with 'AppData'. Below the search bar, it says 'Showing 1 to 10 of 254 entries' with navigation arrows and a '10' dropdown. The table below contains the following data:

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	3437	aaaa	Loan Application	Home Loan Workflow	in02040	NEWAPP	New Application	BREXEC	29-Nov-2022	
	3429	MEENAL	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	29-Nov-2022	
	2457	jitesh	Loan Application	Home Loan Workflow	in02040	TECVRFY	Technical Verification	CPUEXEC	29-Nov-2022	
	2457	jitesh	Loan Application	Home Loan Workflow	in02040	LEGVRFY	Legal Verification	CPUEXEC	29-Nov-2022	
	2457	jitesh	Loan Application	Home Loan Workflow	in02040	FCUVRFY	FCU Verification	CPUEXEC	29-Nov-2022	
	3428	Lakshmi	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	29-Nov-2022	
	3421	testerAA	Loan Application	Home Loan Workflow	in02040	FEECOL	Fee Collection	BREXEC	28-Nov-2022	
	702	Shipra Kothari	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	2759	Rohit	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	788	priya	Loan Application	Home Loan Workflow	in02040	OFFERING	Offering	CREOFF	24-Nov-2022	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area shows an 'Inbox' table with columns: Action, Reference Id, Client Name, Event, Workflow, Employee Name, Stage Code, Stage Desc, Role Code, Created Date, and Approver Role. The table contains 10 entries for loan applications. At the bottom right, there is a circular icon with a gear and a plus sign.

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	3428	Lakshmi	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	29-Nov-2022	
	2934	Aakash BT BT Application	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2927	Aakahs Login Fee	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2879	Aakash Top Up	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2559	PREETAM	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2779		Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	18-Nov-2022	
	2591	SHIVRAJ	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	13-Nov-2022	
	2227	Aakash	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	07-Nov-2022	
	1324	shweta	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	
	1490	Aanchal	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	

Showing 1 to 10 of 108 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area shows a 'Prev' button and a 'Next' button. At the bottom right, there is a circular icon with a gear and a plus sign.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking application interface. The top navigation bar includes the date '09-Jan-2024', a search icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. The main navigation menu on the left lists 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The top breadcrumb trail shows 'Prev', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and the active tab 'Property Details'. The 'Property Details' section is currently empty, with a search icon and an 'Export' button visible on the right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking application interface with the 'Property Details' form filled out. The top navigation bar and left menu are consistent with the previous screenshot. The breadcrumb trail includes 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and the active tab 'P Next'. The 'Property Details' form is divided into several sections: 'Security Type' (Primary Collateral), 'Type Of Transaction' (Select), 'Property Type' (Select), 'Construction Status' (Select), 'Nature Of Property' (Select), 'Name Of The Developer' (Select), 'Building Details' (Select), 'Address Details' (Flat/House No. /Shop No. Plot No. 3 CAR STREET, Address Line 3 Maharashtra, State), 'Property City' (Select), 'Purchased From' (Select), 'APF Status' (Select), 'Property Category' (Select), 'Occupancy Status' (Select), 'Project' (Select), 'Unit Details' (Select), 'Address Line 2' (Mumbai), 'Country' (Select), and 'District/Neighbourhood' (Select).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

**AZENTIO ONE Banking**

09-Jan-2024

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Transactions

Reports

Property Details

Security Type \*

Secondary Collateral

Type Of Transaction \*

Cheque Payment

Property Type \*

Apartment

Construction Status \*

Ready

Nature Of Property \*

Freehold

Name Of The Developer \*

Lodha Group

Building Details

PALM PARADISE HILL VIEW

Property City \*

Ahmed Nagar

Purchased From \*

Agent

APF Status \*

YES

Property Category \*

Commercial

Occupancy Status \*

Occupied

Project

MANOJA SOCIETY

Unit Details

A101

Address Details

Flat/House No. /Shop No. Plot No. \*

3 CAR STREET

Address Line 3 \*

Maharstra

State \*

Address Line 2 \*

Mumbai

Country \*

INDIA

District/Neighbourhood \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

**AZENTIO ONE Banking**

09-Jan-2024

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Transactions

Reports

Property Details

Security Type \*

Secondary Collateral

Type Of Transaction \*

Cheque Payment

Property Type \*

Apartment

Construction Status \*

Ready

Nature Of Property \*

Freehold

Name Of The Developer \*

Lodha Group

Building Details

PALM PARADISE HILL VIEW

Property City \*

Beed

Purchased From \*

Agent

APF Status \*

YES

Property Category \*

Commercial

Occupancy Status \*

Occupied

Project

MANOJA SOCIETY

Unit Details

A101

Address Details

Flat/House No. /Shop No. Plot No. \*

3 CAR STREET

Address Line 3 \*

Maharstra

State \*

Address Line 2 \*

Mumbai

Country \*

INDIA

District/Neighbourhood \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking application interface. The top navigation bar includes the date '09-Jan-2024', a search icon, and language/region settings ('Engl...', 'LOS', 'Aze...'). The main navigation menu on the left lists 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The 'Property Details' form is the central focus, divided into several sections: 'Property Details' (Security Type, Type Of Transaction, Property Type, Construction Status, Nature Of Property, Name Of The Developer, Building Details), 'Address Details' (Flat/House No., Address Line 1, Address Line 2, Address Line 3, State), and 'Property City' (Beed). The form contains various dropdown menus and text input fields for data entry.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

This screenshot is identical to the one above, showing the AZENTIO ONE Banking application's 'Property Details' form. It features the same navigation elements and form fields, including the 'Property Details', 'Address Details', and 'Property City' sections, used for testing the system's ability to modify existing records.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking application interface. The top navigation bar includes the date '09-Jan-2024', a search icon, and language/region settings ('Engl...', 'LOS', 'Aze...'). The main navigation menu on the left lists 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The 'Property Details' form is the central focus, divided into several sections: 'Property Details' (Security Type, Type Of Transaction, Property Type, Construction Status, Nature Of Property, Name Of The Developer, Building Details), 'Address Details' (Flat/House No., Address Line 1, Address Line 2, Address Line 3, State), and 'Property City' (Property City, Purchased From, APF Status, Property Category, Occupancy Status, Project, Unit Details). The form contains various dropdown menus and text input fields for data entry.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

This screenshot is identical to the one above, showing the AZENTIO ONE Banking application's 'Property Details' form. It captures the same navigation elements, form sections, and data fields, providing a consistent view of the application's user interface for testing purposes.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking application interface. The top navigation bar includes the date '09-Jan-2024', a search icon, and language/region selectors for 'Engl...', 'LOS', and 'Aze...'. Below this is a horizontal menu with tabs: 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Next'. The left sidebar contains a 'Search the menu' bar and a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Property Details' and contains several sections: 'Security Type' (Secondary Collateral), 'Type Of Transaction' (Cheque Payment), 'Property Type' (House), 'Construction Status' (Under construction), 'Nature Of Property' (Leasehold), 'Name Of The Developer' (Lodha Group), 'Building Details' (PALM PARADISE HILL VIEW), 'Address Details' (Flat/House No. /Shop No. Plot No. 3 CAR STREET, Address Line 3 Maharashtra, State), 'Property City' (Beed), 'Purchased From' (Agent), 'APF Status' (NO), 'Property Category' (Industrial), 'Occupancy Status' (Occupied), 'Project' (MANOJA SOCIETY), 'Unit Details' (A101), 'Address Line 2' (Mumbai), 'Country' (INDIA), and 'District/Neighbourhood'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

This screenshot is identical to the one above, showing the AZENTIO ONE Banking application interface with the 'Property Details' form. The form fields and their values are: Security Type (Secondary Collateral), Type Of Transaction (Cheque Payment), Property Type (House), Construction Status (Under construction), Nature Of Property (Leasehold), Name Of The Developer (Lodha Group), Building Details (PALM PARADISE HILL VIEW), Address Details (Flat/House No. /Shop No. Plot No. 3 CAR STREET, Address Line 3 Maharashtra, State), Property City (Beed), Purchased From (Agent), APF Status (NO), Property Category (Industrial), Occupancy Status (Occupied), Project (MANOJA SOCIETY), Unit Details (A101), Address Line 2 (Mumbai), Country (INDIA), and District/Neighbourhood.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already saved record

(F) To test the property details tab

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Transactions

Reports

Prev

Application Info

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Offering

Repayment Schedule

Policy Check

Fee Details

Next

Security Type \*

Secondary Collateral

Type Of Transaction \*

Cheque Payment

Property Type \*

House

Construction Status \*

Under construction

Nature Of Property \*

Leasehold

Name Of The Developer \*

Lodha Group

Building Details

PALM PARADISE HILL VIEW

Address Details

Flat/House No. /Shop No. Plot No. \*

3 CAR STREET

Address Line 3 \*

Maharstra

State \*

Karnataka

City \*

Property City \*

Beed

Purchased From \*

Agent

APF Status \*

NO

Property Category \*

Industrial

Occupancy Status \*

Under construction

Project

MANOJA SOCIETY

Unit Details

A101

Address Line 2 \*

Mumbai

Country \*

INDIA

District/Neighbourhood \*

Akola

Pincode \*