

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker Functionality	1	1	0	0	21.481 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker	To check the functionality of Personal Details Disbursement	9	9	0	0	21.477 s
	Functionality	Maker					

DETAILED SECTION

(F)- Personal Details Disbursement Maker Functionality

PASSED	DURATION - 21.481 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 4:48:59.798 PN	1 // 4:49:21.279 PM /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To check the functionality of Personal Details Disbursement Maker





#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
	AZENTIO Microsi Grad		
2	And User Login as maker	PASSED	5.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

Then click on inbox	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on inbox search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.142 s PASSED 0.114 s		ALTANO OF 10 P 10 West State		
screenshot Then click on inbox search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AF	3	Then click on inbox	PASSED	0.192 s
Then click on inbox search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreens		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
the click on inbox search icon ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Personal Details Disbursement Maker record ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ANA Maker user open the record from inbox ANA Maker user open the record from inbox ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ANA Maker user open the record from inbox ANA Maker user open the record from inbox ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA SEED ANA Maker user open the record from inbox ANA SEED ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox ANA SEED ANA Maker user open the record from inbox		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.142 s PASSED 0.114 s		The state of the s		
Screenshot Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.142 s PASSED 0.114 s	4	Then click on inbox search icon	PASSED	0.190 s
5 Then search Personal Details Disbursement Maker record PASSED 0.111 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And maker user open the record from inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.142 s PASSED 0.114 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
Then search Personal Details Disbursement Maker record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.142 s PASSED O.111 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.142 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.107 s		□ variable		
Screenshot 6 And maker user open the record from inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.114 s	5	Then search Personal Details Disbursement Maker record	PASSED	0.111 s
6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.114 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
6 And maker user open the record from inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.114 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.114 s		No.		
	6	And maker user open the record from inbox	PASSED	1.142 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
		screenshot		


#	Step / Hook Details	Status	Duration
	ADMINISTRATION OF STATE OF STA		
7	Then click on Customer Details Segment button	PASSED	1.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
	A ADMINISTRATION OF THE PROPERTY OF THE PROPER		
8	Then open Customer Details record	PASSED	1.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.411 s
	screenshot		
	A CASATTO CO TO SE		
9	Then verify the field Customer Type	PASSED	2.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
	screenshot		
	A ADDITION 12 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10		

EXPANDED SECTION -- 7






EXPANDED SECTION



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

