

# Cucumber Report

09-Sep-2022, 5:36:44 pm

**Start : Sep 09, 5:36:17.391 pm**

**End : Sep 09, 5:36:43.396 pm**

**Duration : 26.005 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 15**

**FAILED - 0**

**SKIPPED - 0**







#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	1	0	0	26.005 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify customer details list view	15	15	0	0	25.992 s

**(F)- Check The functionality of the Personal Details App data Entry**

<b>PASSED</b>	<b>DURATION - 26.005 s</b>	Scenarios		Steps	
/ 5:36:17.391 pm // 5:36:43.396 pm /		Total - 1		Total - 15	
		Pass - 1		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- verify customer details list view**



<div>PASSED</div> <div>DURATION - 25.992 s</div>		Steps	
/ 5:36:17.404 pm // 5:36:43.396 pm /		Total - 15	
Check The functionality of the Personal Details App data Entry		Pass - 15	
		Fail - 0	
@AT_PDE_004		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.888 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	5.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
			
4	And user click on Inbox Icon	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
			
5	And user click search icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
			
6	And user search Appdata Entry	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s


#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
7	And user click on First record of Appdata Entry	PASSED	0.140 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.737 s
8	And user click on Customer Details Tab	PASSED	0.709 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.312 s
9	And user verify the CIF ID List view	PASSED	0.097 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.148 s
10	And user verify the First Name List View	PASSED	0.097 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
11	And user verify the Middle Name List View	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
			
12	And user Verify the Last Name List View	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
			
13	And user verify the Customer Type List View	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
14	And user verify the Applicant Type List View	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
15	And user verify the Status List View	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the AZENTIO ONEBanking dashboard. The top navigation bar includes the logo, a search bar, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Product wise Analysis' and displays two sections: 'Product-wise Amount Financed' and 'Subproduct-wise Amount Financed', both of which are currently loading, indicated by a large circular spinner in the center.</p>
<p><u>(S) verify customer details list view</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>This screenshot is identical to the one above, showing the AZENTIO ONEBanking dashboard with the 'Product wise Analysis' section and loading spinners.</p>
<p><u>(S) verify customer details list view</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXFC	in02040	06-Aug-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

☰

AZENTIO  
 ONEBanking

3

Engl... ▾
 

LOS ▾

Aze... ▾

Search the menu

- Dashboard
- Configurations ▾
- Transactions ▲
- Application manager ▲
- Customer details ⌚
- Customer details Islamic ⌚
- Customer identification details ⌚
- Customer address details ⌚
- Application Details ⌚

## Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

☰ Search the menu

- Dashboard
- Configurations
- Transactions
- Application manager
- Customer details
- Customer details islamic
- Customer identification details
- Customer address details
- Application Details

### Inbox

✕ AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main area shows an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains several rows of data, with the row for Reference Id 10696 highlighted. A blue circular button with a paint palette icon is visible on the right side of the table.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 16:8	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface, specifically the 'Customer Personal Information' form. The sidebar menu is the same as in the previous screenshot. The main area shows a form with various input fields for customer details. A blue circular button with a paint palette icon is visible on the right side of the form.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the Azenzio ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry for 'Aakash Patel' is shown with status 'Active'. The table includes pagination controls showing 'Showing 1 to 1 of 1 entries' and a page size dropdown set to 5. The top navigation bar includes tabs for 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', 'Cust', and 'Next'. User profile information and language/region selectors are visible in the top right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

This screenshot is identical to the one above, showing the Azenzio ONEBanking application interface. The sidebar menu, main content area with the 'Customer Personal Information' table, and top navigation bar are all the same. The table displays one entry for 'Aakash Patel' with status 'Active'. The pagination shows 'Showing 1 to 1 of 1 entries' and a page size of 5. The 'Customer details' tab is selected in the top navigation.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the Azenzio ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry for 'Aakash Patel' is shown with status 'Active'. Below the table, it indicates 'Showing 1 to 1 of 1 entries' with pagination controls. The top navigation bar includes 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', 'Cust', and 'Next'. User profile information and language/region selectors are visible in the top right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

This screenshot is identical to the one above, showing the Azenzio ONEBanking application interface. The sidebar menu, main content area with the 'Customer Personal Information' table, and top navigation bar are all the same, displaying the details for 'Aakash Patel'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry for 'Aakash Patel' is shown with status 'Active'. The table includes pagination controls showing 'Showing 1 to 1 of 1 entries' and a page size selector set to 5. The top navigation bar includes tabs for 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', 'Cust', and 'Next'. User profile information and language/region settings are visible in the top right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry



This screenshot is identical to the one above, showing the AZENTIO ONEBanking application interface. The sidebar menu, main content area with the 'Customer Personal Information' table, and top navigation bar are all the same. The table displays one entry for 'Aakash Patel' with status 'Active'. The pagination shows 'Showing 1 to 1 of 1 entries' and a page size of 5.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the Azenzio ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Customer Personal Information' and shows a table with one entry for 'Aakash Patel'. The table has columns for Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The entry for Aakash Patel is marked as 'Active'. The page also includes a top navigation bar with 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', 'Cust', and 'Next' buttons. A search bar and an 'Export' button are located at the top right of the table area. The bottom right corner features a blue circular button with a white icon.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>	 		Aakash		Patel	I	P	Active

Showing 1 to 1 of 1 entries