Cucumber Report

| *Start : Dec 02, 10:16:46.314 am*	*End : Dec 02, 10:18:36.138 am*	*Duration : 1 m 49.824 s*
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 20

#	Feature Name	T	P	F	S	Duration
1	*To verify the functional flow for customer entity layout facility details*	1	0	1	0	1 m 49.824 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*To verify the functional flow for customer entity layout facility details*	*To verify the functional flow for customer entity layout facility details*	26	5	1	20	1 m 49.818 s

(F)- To verify the functional flow for customer entity layout facility details

FAILED	DURATION - 1 m 49.824 s	Scenarios		Steps	
/ 10:16:46.314 am // 10:18:36.138 am /		Total - 1		Total - 26	
		Pass - 0		Pass - 5	
		Fail - 1	1	Fail - 1	26
		Skip - 0		Skip - 20	

(S)- To verify the functional flow for customer entity layout facility details

| FAILED	DURATION - 1 m 49.818 s		Steps
/ 10:16:46.320 am // 10:18:36.138 am /			Total - 26
To verify the functional flow for customer entity layout facility details			Pass - 5
			Fail - 1
@AT_FD_001			Skip - 20

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	29.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.572 s
	screenshot		
2	And user click on Inbox Icon	PASSED	0.932 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	3.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		
4	And User click the facility info tab in customer entity layout facility details	PASSED	0.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.198 s
	screenshot		
5	And User click the add icon in customer entity layout facility details	PASSED	0.768 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.481 s
	screenshot		
6	And User click the back button in customer entity layout facility details	FAILED	1 m 1.503 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[@ng-reflect-text='Go Back']' (tried for 60 second(s) with 5000 milliseconds interval)
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)
	    at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_click_the_back_button_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:126)
	    at ?.User click the back button in customer entity layout facility details(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/ULS_FacilityDetails.feature:10)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@ng-reflect-text='Go Back']"} (Session info: chrome=107.0.5304.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.		

| #	Step / Hook Details	Status	Duration

	selenium.chrome.ChromeDriver Command: [0c1f1de4366755ef978275baabc2a35e, findElement {using=xpath, value=//button[@ng-reflect-text='Go Back']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50100}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50100/devtoo..., se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0c1f1de4366755ef978275baabc2a35e
	  at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)
	  at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails.user_click_the_back_button_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:126)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User click the add icon in customer entity layout facility details	SKIPPED	0.000 s
8	And User update the excel data for Facility details creation	SKIPPED	0.000 s
9	And User enter the Classification in customer entity layout facility details	SKIPPED	0.001 s
10	And User enter the product in customer entity layout facility details	SKIPPED	0.000 s
11	And User enter the scheme in customer entity layout facility details	SKIPPED	0.000 s
12	And User enter the program code in customer entity layout facility details	SKIPPED	0.001 s
13	And User enter the facility type in customer entity layout facility details	SKIPPED	0.000 s
14	And User enter the servicing branch in customer entity layout facility details	SKIPPED	0.000 s
15	And User enter the pricing or interest indicator in customer entity layout facility details	SKIPPED	0.000 s
16	And User enter the declared asset value in customer entity layout facility details	SKIPPED	0.001 s
17	And User enter the declared down payment amount in customer entity layout facility details	SKIPPED	0.000 s
18	And User enter the requested amount in customer entity layout facility details	SKIPPED	0.000 s
19	And User enter the currency in customer entity layout facility details	SKIPPED	0.000 s
20	And User enter the loan tenure month in customer entity layout facility details	SKIPPED	0.000 s
21	And User enter the Moratorium Period in customer entity layout facility details	SKIPPED	0.000 s
22	And User click the save icon in customer entity layout facility details	SKIPPED	0.001 s
23	And User get the save confirmation messege in customer entity layout facility details	SKIPPED	0.008 s
24	Then User click the action View icon in conventional facility details	SKIPPED	0.000 s
25	And User verify the primary product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s
26	And User verify the primary sub product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details

AZENTIO
ONEBanking

12-Jan-2024

Engl... | LOS | Aze...

Inbox

Appdata

Search the menu

Dashboard
Configurations
Transactions
Reports

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	3451	RUPNANDA	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	29-Nov-2022	
	3444	MEENAL SENGUPTA	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	29-Nov-2022	
	3428	Lakshmi	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	29-Nov-2022	
	2934	Aakash BT BT Application	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2927	Aakahs Login Fee	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2879	Aakash Top Up	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2559	PREETAM	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2779		Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	18-Nov-2022	
	2591	SHIVRAJ	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	13-Nov-2022	
	2227	Aakash	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	07-Nov-2022	

Showing 1 to 10 of 110 entries ‹‹ ‹ **1** 2 3 4 5 › ›› 10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details

AZENTIO
ONEBanking

12-Jan-2024

Engl... | LOS | Aze...

Search the menu

Dashboard
Configurations
Transactions
Reports

Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | **Facility Info** | Document Details | Offering | Repayment Schedule | Policy Check | Fee Details | Next

Conventional Facility List

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details