Cucumber Report

Start : Sep 14, 5:30:55.289 pm	End : Sep 14, 5:31:25.295 pm	Duration : 30.006 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0

| #	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	30.006 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	verify while modification system enters the invalid data (Invalid data types)	9	9	0	0	29.998 s

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 30.006 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 5:30:55.289 pm // 5:31:25.295 pm /		Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify while modification system enters the invalid data (Invalid data types)

PASSED	DURATION - 29.998 s		Steps	
/ 5:30:55.297 pm // 5:31:25.295 pm /			Total - 9	
check the functionality of the Warehouse Master			Pass - 9	9
			Fail - 0	
@AT_WHM_T006_Invalid			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	13.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		
	+		
2	Then user click on configurations Tab	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.293 s
4	And user click list view icon of Warehouse Master	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.425 s
5	And user click Temp view icon of Warehouse Master	PASSED	0.962 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.580 s
6	And user click on First Record Edit icon	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.730 s
7	And user Enter the value in description and Modify it	PASSED	2.862 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.223 s

#	Step / Hook Details	Status	Duration
8	And user Enter the value in Address field and Modify it	PASSED	0.456 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot 		
9	And user Enter Invalid Data in warehouse Master	PASSED	0.863 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify while modification system enters the invalid data (Invalid data types)	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify while modification system enters the invalid data (Invalid data types)	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master