Cucumber Report

| Start : Nov 28, 5:29:36.792 pm	End : Nov 28, 5:30:09.312 pm	Duration : 32.520 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 70

1

1

83

Pass % 0 %

Pass % 0 %

Pass % 14 %

#	Feature Name	T	P	F	S	Duration
1	To test the property details tab	1	0	1	0	32.520 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	To create the property details with valid data	83	12	1	70	32.510 s

(F)- To test the property details tab

FAILED	DURATION - 32.520 s	Scenarios		Steps	
		Total - 1		Total - 83	
/ 5:29:36.792 pm // 5:30:09.312 pm /		Pass - 0	1	Pass - 12	83
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 70	

(S)- To create the property details with valid data

FAILED	DURATION - 32.510 s		Steps	
			Total - 83	
/ 5:29:36.802 pm // 5:30:09.312 pm /			Pass - 12	83
To test the property details tab			Fail - 1	
@AT_PD_001			Skip - 70	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	16.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.451 s
	screenshot		
2	And click on mail box	PASSED	1.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.442 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And search for app data entry record	PASSED	0.571 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
4	And select the app data entry first record	PASSED	0.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
5	And click on property detail record	PASSED	1.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.601 s
	screenshot		
6	And click on add button in property details tab	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.899 s
	screenshot		
7	Then verify property details is showing in the screen	PASSED	0.410 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then verify address details is showing in screen	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
9	Then verify charge details is showing in the screen	PASSED	0.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
10	Then verify construction details is showing in the screen	PASSED	0.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
11	And user update the Excelsheet Testdata for Property creation	PASSED	0.018 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	Then verify security type field should be visisble and mandatory dropdown	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
13	And user can able to select the data from the security dropdown	FAILED	0.742 s

	java.lang.AssertionError: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[text()=' Primary Collateral ']/parent::ion-item/ion-radio"} (Session info: chrome=107.0.5304.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7f9632827bcb087a4c336190526e230d, findElement {using=xpath, value=//ion-label[text()=' Primary Collateral ']/parent::ion-item/ion-radio}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49328}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49328/devtoo..., se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7f9632827bcb087a4c336190526e230d
	  at org.testng.Assert.fail(Assert.java:99)
	  at stepdefinitions.PropertyDetails_Steps.user_can_able_to_select_the_data_from_the_security_dropdown(PropertyDetails_Steps.java:220)
	  at ?.user can able to select the data from the security dropdown(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_Property_Details.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		
14	Then verify property city field should be mandatory lookup	SKIPPED	0.001 s
15	And user can able to select the data from the property city field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
16	Then verify Type Of Transaction field should be mandatory lookup	SKIPPED	0.001 s
17	And user can able to select the data from the Type Of Transaction field	SKIPPED	0.000 s
18	Then verify Purchased from field should be mandatory lookup	SKIPPED	0.001 s
19	And user can able to select the data from the Purchased from field	SKIPPED	0.000 s
20	Then verify Property Type field should be mandatory lookup	SKIPPED	0.000 s
21	And user can able to select the data from the Property Type field	SKIPPED	0.001 s
22	Then verify APF Status field should be mandatory dropdown	SKIPPED	0.000 s
23	And user can able to select the data from the APF Status field	SKIPPED	0.000 s
24	Then verify Construction Status field should be mandatory dropdown	SKIPPED	0.001 s
25	And user can able to select the data from the Construction Status field	SKIPPED	0.000 s
26	Then verify Property Category field should be mandatory dropdown	SKIPPED	0.000 s
27	And user can able to select the data from the Property Category field	SKIPPED	0.000 s
28	Then verify Nature of Property field should be mandatory lookup	SKIPPED	0.000 s
29	And user can able to select the data from the Nature of Property field	SKIPPED	0.000 s
30	Then verify Occupancy Status field should be mandatory lookup	SKIPPED	0.000 s
31	And user can able to select the data from the Occupancy Status field	SKIPPED	0.000 s
32	Then verify name Of The Developer field should be mandatory lookup	SKIPPED	0.000 s
33	And user can able to select the data from the name Of The Developer field	SKIPPED	0.001 s
34	Then verify Project field should be mandatory lookup	SKIPPED	0.000 s
35	And user can able to select the data from the Project field	SKIPPED	0.000 s
36	Then verify Building Details field should be mandatory lookup	SKIPPED	0.000 s
37	And user can able to select the data from the Building Details field	SKIPPED	0.001 s
38	Then verify Unit Details field should be mandatory lookup	SKIPPED	0.000 s
39	And user can able to select the data from the Unit Details field	SKIPPED	0.000 s
40	Then verify address line 1 field should be non mendatory text box	SKIPPED	0.001 s
41	And user can able to enter the data into the address line 1 input box	SKIPPED	0.000 s
42	Then verify address line 2 field should be non mendatory text box	SKIPPED	0.000 s
43	And user can able to enter the data into the address line 2 input box	SKIPPED	0.000 s
44	Then verify address line 3 field should be text box	SKIPPED	0.000 s
45	And user can able to enter the data into the address line 3 input box	SKIPPED	0.000 s
46	Then verify country field should be non mandatory lookup	SKIPPED	0.001 s
47	And user can able to select the data from the country field	SKIPPED	0.000 s
48	Then verify state field should be non mandatory lookup	SKIPPED	0.000 s
49	And user can able to select the data from the state field	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
50	Then verify District Neighbourhood field should be non mandatory textbox	SKIPPED	0.000 s
51	And user can able to enter the data from into District Neighbourhood field	SKIPPED	0.001 s
52	Then verify city field should be non mandatory lookup	SKIPPED	0.000 s
53	And user can able to select the data from the city field	SKIPPED	0.002 s
54	Then verify pincode field should be non mandatory textbox	SKIPPED	0.000 s
55	And user can able to enter the data from into pincode field	SKIPPED	0.001 s
56	Then verify Type Of Charge field should be mandatory dropdown	SKIPPED	0.000 s
57	And user can able to select the data from the Type Of Charge field	SKIPPED	0.001 s
58	Then verify Name Of Charge Holder field should be non mandatory textbox	SKIPPED	0.000 s
59	And user can able to enter the data from into Name Of Charge Holder field	SKIPPED	0.000 s
60	Then verify Amount to the Charge Holder field should be non mandatory currency field	SKIPPED	0.000 s
61	And user can able to enter the data from into Amount to the Charge Holder field	SKIPPED	0.000 s
62	Then verify Measurement field should be mandatory dropdown	SKIPPED	0.000 s
63	And user can able to select the data from the Measurement field	SKIPPED	0.000 s
64	Then verify Approx Property Area field should be non mandatory textbox	SKIPPED	0.000 s
65	And user can able to enter the data from into Approx Property Area field	SKIPPED	0.003 s
66	Then verify Built Up Plot Area field should be non mandatory textbox	SKIPPED	0.000 s
67	And user can able to enter the data from into Built Up Plot Area field	SKIPPED	0.000 s
68	Then verify Carpet Area field should be non mandatory textbox	SKIPPED	0.000 s
69	And user can able to enter the data from into Carpet Area field	SKIPPED	0.001 s
70	Then verify Property Management field should be non mandatory lookup	SKIPPED	0.000 s
71	And user can able to select the data from the Property Management field	SKIPPED	0.000 s
72	Then verify Year Of Construction field should be non mandatory calendar	SKIPPED	0.000 s
73	And user can able to select the date from the Year Of Construction field	SKIPPED	0.001 s
74	Then verify percentage of completion field should be non mandatory textbox	SKIPPED	0.001 s
75	And user can able to enter the data from into percentage of completion field	SKIPPED	0.000 s
76	Then verify Expected Completion Date field should be non mandatory calendar	SKIPPED	0.000 s
77	And user can able to select the date from the Expected Completion Date field	SKIPPED	0.001 s
78	Then verify Agreement Date field should be non mandatory calendar	SKIPPED	0.001 s
79	And user can able to select the date from the Agreement Date field	SKIPPED	0.000 s
80	Then verify Agreement Validity Date field should be non mandatory calendar	SKIPPED	0.000 s
81	And user can able to select the date from the Agreement Validity Date field	SKIPPED	0.000 s
82	And save the property details record	SKIPPED	0.001 s
83	Then verify record is saved in the system	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab